Door Collection

2019/20



JBK ind

INSPIRATIONAL DOORS.
Undeniable value.

www.jbkind.com

WELCOME

Our 2019/20 Door Collection includes all the designs you've come to know and trust, plus some exciting new door styles and services.

The Osborne, Catton, Belton and Hardwick (pages 82-85) feature classic panelled designs with attractive flush mouldings that simply ooze refinement. White primed and ready for finishing, these doors are also suitable for another new service launching this year: our Colour Options Paint Service. We know how time-consuming painting doors can be - let us take the hassle away by delivering your doors professionally spray painted in whichever RAL colour you choose (page 9).

Speaking of convenience, also new for 2019/20 is our External Extreme Doorset offering (pages 118-119). Customers already love these exceptionally durable front doors, made with a top layer of MEDITE®TRICOYA®EXTREME. Now, fitting them has got a lot easier as they're available pre-hung as a doorset, complete with a solid white Accoya wood frame, plus high-quality fixtures and hardware.

Whatever your style and budget, from space-saving pocket door systems to easy-to-maintain Laminate doors, you'll find plenty to choose from in our Door Collection, now with a handy index for your convenience. Happy browsing!

Architects, Specifiers and Designers

Our dynamic door designs offer undeniable value as well as compliance with a wide range of UK and European industry standards. From fire protection and thermal insulation to renewable resources and disabled access, you can rely on JB Kind to provide the quality standards you need. We have recognised third party accreditation from schemes such as Certifire and FSC® chain of custody.

If you have any questions or need some expert advice, don't hesitate to call us on 01283 554197.

Contents

How to Choose Your Doors pages 4-5 Visit our Showroom page 6 Where to Buy page 7 FSC® Certified page 7

Our Services

Bespoke Options page 8 Colour Options page 9 Internal Doorsets page 10 Rebated Door Pairs page 11 Pocket Door Systems pages 12-15 Internal Doors pages 16-111 Door Furniture pages 112-113 External Doors pages 114-119 Timber Accessories page 120 Essential Door Care page 121 Fire Door Information page 122 Index page 123







Oak Classic pages 32-43



White Classic pages 82-85



Oak Cottage pages 50-55

pages 98-105



ISO 9001

NEW Colour Options

Add a touch of colour to your doors

with our new Colour Options paint

service. Look out for the 🞎 icon

See page 9 for more information.

Our dedication to meeting the highest standards

for our customers is illustrated by our continuous

achievement of the UK quality award ISO9001. Certificate number: 1UK/01/5129491224

paint service

against compatible doors.

Walnut pages 58-63



Laminates pages 66-71



Painted Finish pages 74-79



Oak Shaker

pages 44-49

White Contemporary pages 86-97



White Moulded pages 106-111



External Extreme pages 114-119



STEP 1

Choose your preferred door style

Browse through and select your favourite door designs, colours and finishes. Not forgetting, a matching glazed partner, should you wish to add some extra light. Take inspiration from our Gallery of lifestyle images online at jbkind.com



STFP 5

STEP 4

Pick the right handle

at our Door Handle Packs,

pages 112-113, supplied

with everything you

need to fit a door.

Price up your doors

JB Kind's doors can be purchased through Builders Merchants and Door Retailer partners across the UK, any of which will be happy to provide a quote.

A stylish handle really does finish off a door. Take a look

Either call us on 01283 554197 for details of your local supplier or visit our online Supplier Locator at jbkind.com. Alternatively you can Buy Online via one of our approved Online Partners and your doors will just be a click away.



Check the sizes available

If one of our standard door sizes does not fit your requirements, check if a special size can be ordered through our Bs Bespoke Options service, page 8.

STEP 3 Consider ho

Consider how the doors will be fitted

- Do you need any door pairs? If so, take a look at our Door Pair rebating service page 11.
- Would a Pocket Door System help create some extra space? Ideal for renovation and new build projects, see pages 12-15.
- Will you require any fire doors? Virtually all of our door designs offer an FD30 fire door option. See page 122.
- A pre-hung Doorset complete with frame and ironmongery could be better suited to your project. If so, see pages 10-11.
- Ensuites, wardrobes and cupboards often require a space saving solution. Consider a matching bi-fold option, pocket door system or invest in some sliding door tracking.

Measuring up

To make sure you purchase the right door sizes, take the following measurements.

Door width: measure the top, middle and bottom of the door frame. The widest measurement determines the width of the door.

Door height: measure inside the vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering.

NB. You can plane door edges slightly to reduce the size. If required, please call us for details of the lipping size.



Door size conversion chart: A little help if you need to work out the metric and imperial equivalent for door sizes.

Height & Width

Metric	Imperial	Imperial
(mm)	(inches)	(feet & inches)
1981 x 457	78" x 18"	6'6" x 1'6"
1981 x 533	78" x 21"	6'6" x 1'9"
1981 x 610	78" x 24"	6'6" x 2'0"
1981 x 686	78" x 27"	6'6" x 2'3"
1981 x 711	78" x 28"	6'6" x 2'4"
1981 x 762	78" x 30"	6'6" x 2'6"
1981 x 838	78" x 33"	6'6" x 2'9"
1981 x 915	78" x 36"	6'6" x 3'0"
1981 x 1067	78" x 42"	6'6" x 3'6"
1981 x 1168	78" x 46"	6'6" x 3'10"
1981 x 1220	78" x 48"	6'6" x 4'0"
1981 x 1372	78" x 54"	6'6" x 4'6"
1981 x 1524	78" x 60"	6'6" x 5'0"
2032 x 813	80" x 32"	6'8" x 2'8"
2134 x 915	84" x 36"	7'0" x 3'0"
2040 x 526	80¼" x 20 ¹¹ / ₁₆ "	6′8¼″ x 1′8 ¹¹ / ₁₆ ″
2040 x 626	80¼ x 24 ⁵ /8"	6'8¼" x 2'05/8"
2040 x 726	80¼ x 285/8"	6'8¼" x 2'45/8"
2040 x 826	80¼ x 32½"	6'8¼" x 2'8½"
2040 x 926	801/4" x 36 ⁷ /16"	6'8¼" x 3'0 ⁷ / ₁₆ "



Builders merchants and door retailers

Our doors can be ordered from Builders Merchants and Door Retailer partners across the UK and buying your JB Kind doors is now even easier with our online Supplier Locator.

Just go to www.jbkind.com and put in your postcode to find the closest retailer to you we also tell you which outlets have IB Kind door displays so you can take the time to go and experience just how fabulous our doors really are!



Buy online

If you already know exactly what you want and you like the ease of ordering online, then just pop onto our website and check out the buy online section with links to our approved Online Partners - then you're just a click away from receiving your dream doors.







NEED ADVICE?

Sometimes you'll need advice and we are always here to help. Just give us a call on 01283 554197 or email info@jbkind.com


Look for FSC® certified products



chain of custody door supplier

FSC® Certified We hold our own FSC® chain of custody certification for certain doors within our collection. Chain of custody certification ensures that the systems within our business allow us to track the door from the day we buy it, through to the day we deliver it. Wherever you see FSC® Certified within a product description that door has been produced from certified materials and other controlled sources.





B Bespoke Options

Whether you're self-building, renovating your home, purchasing for a development project or you're an interior design expert, you'll want to take a look at JB Kind's bespoke options. The versatility of our bespoke service is ideal for those special requirements.

Many of our door designs have bespoke options available. Look out for the $\boxed{\text{BS}}$ icon adjacent to product images.



TIMBER VENEERS

Perhaps you love one of the designs from our Door Collection but would prefer it in a different timber veneer or maybe you would like to create a style that is completely unique and different? More veneers can be viewed online at www.jbkind.com.



MADE TO MEASURE

There are a wide range of standard door sizes available, however, you may have a specific size requirement. Many of the doors from our collection can be produced to order as a special size and of course any door designs that are created just for you.



BESPOKE GLAZING

Whether you prefer a full glazed panel or smaller apertures, there are so many options for a glazed door. Clear, bevelled, diamond cut and etched are some of the most popular glazing types. Let us know what you would like to achieve and we'll advise on the options.



FIRE DOORS

JB Kind can supply bespoke fire doors, in a wide range of solid and glazed options. Fully certificated, so you can be safe and stylish.

For more information see page 122.







NEW Colour OptionsPaint Service

All the colours of the spectrum

Bring colour to your home and make a style statement by painting your doors any colour you like!

Painting doors can be fiddly and time consuming, so let us take the hassle away and arrange for your doors to be professionally spray painted prior to delivery. All you have to do is tell us your preferred RAL colour and we will do the rest.

Virtually all of our internal white doors and External Extreme range are suitable for this service – look out for the icon as you browse through the brochure.

Note: Our painting service typically takes 3-4 weeks including delivery. Touch up kits are available to order. Colours shown are representative only. Please be aware that the appearance of RAL colours can vary depending on the paint surface and sheen level chosen. Subject to terms and conditions.

BENEFITS

Save time

No need to prepare (de-nib/sand) doors prior to painting and paint several coats on each side, allowing for drying time too!

Cost saving

Eliminate the cost of purchasing paint and equipment, plus labour if you employ someone to do the job for you.

Perfect finish

Spray painting gives a smooth factory finish without brush marks or uneven coverage.

Colour choice

You really can have any colour on the RAL spectrum. Even if you would like to stay with white, we will finish our primed doors for you.



Internal Doorsets

All of our internal doors, including fire doors, can be supplied as factory pre-assembled Doorsets. The perfect door solution for self builds, new housing and apartment developments.

BENEFITS OF A DOORSET

Save time

Each Doorset is pre-hung and ready to install.

Labour cost saving

Quicker fitting times help reduce onsite costs.

Single sourcing

Ease of purchasing all door related components in one place.

Fully certificated

Peace of mind that each Fire and Security rated Doorset is fully compliant.

Factory controlled

Each Doorset is assembled in a factory environment to ensure consistency and quality.

What's in a Doorset?

- 1 Hinges fitted
- 2 Door leaf
- 3 Latch/lock fitted
- Frame/lining, complete with door stop
- 5 Floor covering clearance
- 6 Removable transport bracket

Architrave is also supplied (not shown): available in a variety of styles



Here's a checklist of the key information that will be required to help us process your enquiry:

- Quantity required
- Structural opening heights and widths
- ✓ Wall depth
- Handing (left or right) as viewed from the pull side
- Floor clearance (distance from bottom of frame to bottom of door)
- Type of door Standard (35/40mm), FD30/FD60 fire rated (44/54mm) or Security rated
- ✓ Door design style
- Frame material and finish mdf or softwood in primed, lacquered or stained
- ✓ Frame type rebated or lining
- Architrave profile and dimensions




Fire rated internal doorsets are available for FD30 and FD60 Fire Doors Security rated internal doorsets are also available



Rebated Door Pairs

If you would like to fit a first-class door pair, we would recommend considering Rebated Meeting Stiles. Rebating means removing a section along the vertical edge of each door where they meet to allow them to fit snugly together, eliminating the small gap that you would see with square meeting stiles (two doors fitted side by side).

A number of door designs held within our stock ranges are suitable for rebating with a short lead time (see table below). This service is offered through our in-house joinery workshop. If your preferred door type is not listed, please check if our Bespoke Options service is available, as they could be made to order.



Doors that can be rebated into a pair from stock

poors that can be	e repated into a pair from stock
Range	Door Designs
Oak Contemporary	Tigris Oak & Medina (sizes: 686 & 762mm)
Oak Classic	Dove Pairs (ready rebated)
Oak Shaker	All door designs (except fire doors & bi-folds)
Oak Cottage	Thames + glazed partners (except fire doors & bi-fold) Yoxall & Tutbury
Walnut	Axis
White Classic	All door designs (except fire doors)
White Contemporary	All door designs (except Parelo, Linea, Blanco & Ripple) Contact us for fire door options
White Shaker	All door designs (except fire doors & bi-folds)
White Moulded	Classique 6 Light Pairs (ready rebated)









*We always recommend using a professional fitter.

A pocket door system that enables doors to slide conveniently into a wall cavity and save space whilst looking incredibly stylish.

Easy to install* with a rigid frame, our pocket door systems are supplied pre-assembled so that they can be fitted in half the time of other brands.

Available for both single and double door situations in a selection of sizes, almost all of JB Kind's internal doors are suitable for use as a pocket door. You can also choose from a selection of pocket door accessories too!

Key features:

- Easy to install* rigid frame, supplied pre-assembled
- Fitted in half the time of other brands
- Designed for stud and plasterboard
- Door is fitted after all installation and decoration has been completed, avoiding any potential damage to your door.
- Door choice can be changed in the future without structural alteration to the wall.
- Compatible sliding door hardware available
- Available in single and double format

Pocket door cassette:


The cassette structure is made from 0.5mm galvanised steel, with the sides formed from single pieces of pressed steel which is corrugated for complete stability. Transverse ribs fixed to the corrugations further re-inforce the structure and allow fixing of plasterboard direct to the cassette. The internal pocket cavity is protected by a cover during installation.

Spacer bars:

Twin spacer bars are supplied that are fixed between the cassette and jamb during installation to ensure the structure remains square.

Specifications:







How to order a Pocket Door System: Your step by step guide

STEP 1

Single or Double Pocket Door System

Use our size guide tables to check your requirements. For a double pocket door, you will need to purchase two single pocket door systems and a double leaf conversion kit.

STEP 2

Choose your door design

The majority of our door designs are suitable for use as pocket doors. However, some doors that have raised mouldings and 44mm fire doors are not suitable. Please get in touch if you're in any doubt.

STFP 3

Timber accessory kits

You will need an accessory kit as the pocket door system cannot be installed without one. Choose from either white primed or varnished oak, available for both single and double options.

STEP 4

Door Grooving

The bottom edge of the door will need to be grooved to fit in the floor guide of a pocket system.

If required, our in-house joinery workshop can pre-groove your doors prior to delivery, for a small charge.

STEP 5

Optional accessories

Automatic Door Closer: is a self-closing system that enables the door to glide into place automatically after being opened.

Double simultaneous operator: enables a double pocket door to open and close simultaneously.

Soft-close damper unit: applies a brake making sure that the door moves slowly and smoothly to a close.

STEP 6

Door furniture

Choose from either a bathroom privacy lock or flush door pull.

STEP 7

Finding a JB Kind door supplier

Take a look at the Supplier Locator on our website or approved Online

Once you've chosen a place to purchase from, then just hand over all of your requirements and your doors and pocket systems should be with you in no time!

If you do have any questions, our expert JB Kind team is on hand to help you out, just call **01283 554197** or email **info@jbkind.com**

Timber Accessory Kits

Available in either white primed or varnished oak, Accessory Kits are required to complete pocket door installation.





Code	
SGLWPRIAC	White primed – single pocket door kit
DBLWPRIAC	White primed – double pocket door kit
GLV0AC	Oak varnished – single pocket door kit
DBLVOAC	Oak varnished – double pocket door kit


Additional Accessories






Flush Door Pull Pack

Code	
SCDAMPER	Soft close damper unit
ACLOSER	Automatic door closer
DBLSIMOP	Double simultaneous operator
CIRCPULL	Flush Door Pull Pack (satin stainless steel,
	includes 2 circular flush pulls and a round
	finger pull for the door edge)
CIRCBATHLOCK	Bathroom Door Hook Lock Pack (satin
	stainless steel, includes turn and release,
	hook latch, adjustable keep and finger pull)



Single Pocket Door – Size Guide

Code	Door Size		Clear Opening Size (walkthrough area)		Structural Opening Size of the Unit		Finished Wall Thickness
(mm)	Width	Height	Width (OW)	Height (OH)	Width (SW)	Height (SH)	
POCSYSSGL686	686	1981	650	1970	1425	2075	125
POCSYSSGL762	762	1981	740	1970	1625	2075	125
POCSYSSGL838	838	1981	800	1970	1725	2075	125
POCSYSSGL915	915	1981	890	1970	1925	2075	125



Double Pocket Door - Size Guide

To create a double pocket door you will need to purchase two single pocket door systems and a double leaf conversion kit. Easy to assemble without requiring any modifications, the conversion kit includes a double top rail and two spacers.

Code		Size ridual)		ening Size ough area)		l Opening the Unit	Finished Wall Thickness
(mm)	Width	Height	Width (OW)	Height (OH)	Width (SW)	Height (SH)	
DBLLEAFKIT686	686	1981	1300	1970	2742	2075	125
DBLLEAFKIT762	762	1981	1500	1970	3142	2075	125
DBLLEAFKIT838	838	1981	1600	1970	3342	2075	125
DBLLEAFKIT915	915	1981	1800	1970	3742	2075	125





Finish: Pre-finished oak veneer with

real oak grooves

Style: VP7: 7 ladder style panels

VT5: 5 horizontal panels

Glazing: Clear diamond cut safety glass with raised beading


Other: FD30 Fire doors

Royale VP7 Oak





Size (mm)		Code			
PRE-F	PRE-FINISHED					
1981	610	35	VP7610-0			
1981	686	35	VP7686-0			
1981	762	35	VP7762-0			
1981	838	35	VP7838-0			
1981	686	45	VP7HH686-0 🍑			
1981	762	45	VP7HH762-0 🎍			
1981	838	45	VP7HH838-0 🍑			



Royale VP7 Oak Glazed





PRE-F	INISH	IED				
1981	686	35	VP71VCB686-			
1981	762	35	VP71VCB762-			
1981	838	35	VP71VCB838-			
Glazed fire doors available						
to ord	ler w	th c	lear flat glass			

Size (mm) Code

Royale VT5 Oak



Size (mm) PRE-FINISHED

1981 610 35 VT5610-0

1981 686 35 VT5686-0

1981 762 35 VT5762-0

1981 838 35 VT5838-0

1981 686 45 VT5HH686-0 è

1981 762 45 VT5HH762-0 🌢

1981 838 45 VT5HH838-0










Size (mm)		Code			
PRE-F	INISI	IED				
1981	686	35	VT51VB686-0			
1981	762	35	VT51VB762-0			
1981	838	35	VT51VB838-0			
Glazed fire doors available to order wth clear flat glass.						

M Matching door pairs cannot be guaranteed Bs Bespoke options

Solid core construction ♦ FD30 Fire door



Finish: Pre-finished oak veneer with real wood grooves

Style: 5 ladder style panels

Glazing: Emral/Bela: Clear flat safety glass with raised beading

Medina: Clear diamond cut safety glass with raised beading

Other: FD30 Fire doors

Tigris Oak





Tigris and Emral are available in Walnut and White, see pages 59 & 87.



Laminate versions are available in Lava and Ivory, see page 67.

Size (mm)		Code			
PRE-FINISHED						
1981	533	35	OISI19			
1981	610	35	OISI20			
1981	686	35	OISI23			
1981	762	35	OISI26			
1981	838	35	OISI29			
2040	626	40	OISI626			
2040	726	40	OISI726			
2040	826	40	OISI826			
1981	533	44	OISI19FD30 🎍			
1981	610	44	OISI20FD30 🎍			
1981	686	44	OISI23FD30 🎍			
1981	762	44	OISI26FD30 🍑			
1981	838	44	OISI29FD30 🎍			
2040	726	44	OISI726FD30 🎍			
2040	826	44	OISI826FD30 🌢			
2040	926	44	OISI926FD30 🎍			
Rebated door pairs available from stock for 686 & 762mm.						



Emral Oak





PRE-F	INISE		
1981	686	35	OEMR23
1981	762	35	OEMR26
1981	838	35	OEMR29
1981	686	44	OEMR23FD30
1981	762	44	OEMR26FD30
1981	838	44	OEMR29FD30

Size (mm) Code

Medina







176 (111111)	Code						
RE-FINISHED								
981	686	35	OMED23G					
981	762	35	OMED26G					
981	838	35	OMED29G					
040	626	40	OMED6260					
040	726	40	OMED7260					
040	826	40	OMED8260					
Rebated door pairs								
vaila	vailable from stock							
nr 68	36 8.	742	mm					

Glazed fire doors available to order with clear flat glass.

Bela





Size (mm)	Code		
PRE-F	INISH			
1981	610	35	OBEL20	
1981	686	35	OBEL23	
1981	762	35	OBEL26	
1981	838	35	OBEL29	

Bs Bespoke options Solid core construction ♦ FD30 Fire door



Finish: Pre-finished oak veneer with

MDF grooves

Style: 3 ladder style panels

Glazing: Clear flat safety glass with flush beading

Other: FD30 Fire doors

Mistral Oak





Size (Size (mm)		Code	
PRE-F	INISH	IED		
1981	533	35	OMIS19	
1981	610	35	OMIS20	
1981	686	35	OMIS23	
1981	762	35	OMIS26	
1981	838	35	OMIS29	
2040	526	40	OMIS526	
2040	626	40	OMIS626	
2040	726	40	OMIS726	
2040	826	40	OMIS826	
1981	610	44	OMIS20FD30 🎍	
1981	686	44	OMIS23FD30 🎍	
1981	762	44	OMIS26FD30 🎍	
1981	838	44	OMIS29FD30 🎍	
2040	726	44	OMIS726FD30 🎍	
2040	826	44	OMIS826FD30 🎍	
2040	926	44	OMIS926FD30 🍑	

Mistral Oak and Mistral Oak Glazed are also available in Walnut and White, see pages 59 & 89.





Mistral Oak Glazed





Size (mm)		Code			
PRE-F	INISH	IED				
1981	686	35	OMIS23G			
1981	762	35	OMIS26G			
1981	838	35	OMIS29G			
2040	626	40	OMIS626G			
2040	726	40	OMIS726G			
2040	826	40	OMIS826G			
Glazed fire doors available						
to ord	ler.					



Bs Bespoke options

Semi-solid core construction FD30 Fire door

Mistral Oak Bi-fold





Mistral Oak Bi-fold is also available in White, see page 89.

-			OMISBE26	_
	PRF-F	INIICL		
	Size (mm)	Code	





Finish: Pre-finished oak veneer **Style:** Sirocco: Grooved into MDF

with alternate horizontal and vertical veneers

Ostria: Horizontal veneers with

vertical stiles

Glazing: Clear flat safety glass with flush beading

Other: FD30 Fire doors

Sirocco





Size (mm)		Code				
PRE-FINISHED							
1981	610	35	OSIR20				
1981	686	35	OSIR23				
1981	762	35	OSIR26				
1981	838	35	OSIR29				
1981	686	44	OSIR23FD30 🌢				
1981	762	44	OSIR26FD30 🌢				
1981	838	44	OSIR29FD30 🍑				



Sirocco Glazed







2176 (111111)	code	
PRE-F	INISH		
1981	686	35	OSIR23G
1981	762	35	OSIR26G
1981	838	35	OSIR29G
Glaze to ord		ors available	

Ostria





2120						
PRE-FINISHED						
1981	610	35	00ST20			
1981	686	35	00ST23			
1981	762	35	00ST26			
1981	838	35	00ST29			
1981	686	44	00ST23FD30 🎍			
1981	762	44	00ST26FD30 🍑			
1981	838	44	00ST29FD30 🎍			

Code

Size (mm)

Ostria Glazed





Size (mm)		Code		
PRE-F	INISH	IED			
1981	686	35	00ST23G		
1981	762	35	00ST26G		
1981	838	35	00ST29G		
Glazed fire doors available					
to ord	ler.				

Bs Bespoke options Semi-solid core construction FD30 Fire door





Finish: Pre-finished oak veneer

Style: Ceylon/Rhodesia: Oak grooves and ash inlay

Chartwell/Blenheim: Dark wood inlay Clementine/Spencer: Walnut inlay

Glazing: Clear flat safety glass with raised beading

Blenheim FD30 is clear flat fire glass

Other: FD30 Fire doors

Adding the faishing touch...



Ash inlay

Size (mm)

Code

see page 112
Timber veneers are a
natural material and
variations in the colour
and graining should be



Ceylon









Rhodesia





Size (mm)	Code			
PRE-F	INISI				
1981	686	35	ERH023		
1981	762	35	ERH026		
1981	838	35	ERHO29		
Glazed fire doors available to order.					

Chartwell





Size (mm)		Code				
PRE-FINISHED							
1981	533	35	CCHA19				
1981	610	35	CCHA20				
1981	686	35	CCHA23				
1981	762	35	CCHA26				
1981	838	35	CCHA29				
1981	686	44	CCHA23FD30 🌢				
1981	762	44	CCHA26FD30 🍑				
1981	838	44	CCHA29FD30 🌢				

Blenheim





Size (mm)		Code				
PRE-F	INISH	IED					
1981	686	35	CBLE23				
1981	762	35	CBLE26				
1981	838	35	CBLE29				
1981	762	44	CBLE26FD30G				
1981	838	44	CBLE29FD30G				

Clementine

















Walnut inlay

- Bs Bespoke options Semi-solid core construction
- Certifire FD30 Fire door FD30 Fire door





Finish: Pre-finished oak veneer **Style:** Flush with light wood inlays **Glazing:** Clear bevelled safety glass with raised beading

Other: FD30 Fire doors

1981 762 44 OVEN26FD30 🌢 1981 838 44 OVEN29FD30 🌢

Size (mm) Code

1981 610 35 OVEN20

1981 686 35 OVEN23

1981 762 35 OVEN26

1981 838 35 OVEN29

PRE-FINISHED

Venus

Bs 🚳

Juno Bs 🚳



Size (mm) PRE-FINISHED 1981 686 35 OJUN23 1981 762 35 OJUN26 1981 838 35 OJUN29 Glazed fire doors available to order with clear flat glass. Lucina





Size (mm) PRE-FINISHED 1981 610 35 OLUC20 1981 686 35 OLUC23 1981 762 35 OLUC26 1981 838 35 OLUC29 1981 762 44 OLUC26FD30 🌢 1981 838 44 OLUC29FD30 🎍 Diana





Size (mm) PRE-FINISHED 1981 610 35 ODIA20 1981 686 35 ODIA23 1981 762 35 ODIA26 1981 838 35 ODIA29 1981 762 44 ODIA26FD30 🍑 1981 838 44 ODIA29FD30 Minerva

Bs 🚳



Size (mm) PRE-FINISHED 1981 686 35 OMIN23 1981 762 35 OMIN26 1981 838 35 OMIN29 Glazed fire doors available to order with clear flat glass.

Light wood inlay

Make a statement with a pocket door system see page 12

Bs Bespoke options Semi-solid core construction Certifire FD30 Fire door

29

see page 112 Timber veneers are a

Adding the faisting touch.

natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

T: 01283 554197 28 www.jbkind.com





Finish: Pre-finished oak veneer

Style: Flush with dark coloured groove patterns **Glazing:** Clear flat safety glass with raised beading

Other: FD30 Fire doors



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Bs Bespoke options

Solid core construction
Standard core construction

Certifire FD30 Fire door

Size (mm) Code

PRE-FINISHED

1981 610 35 ESOL20

1981 686 35 ESOL23

1981 762 35 ESOL26

1981 838 35 ESOL29

1981 686 44 ESOL23FD30

1981 762 44 ESOL26FD30

■

1981 838 44 ESOL29FD30 🍑

Sol





Sol Glazed





 Size (mm)
 Code

 PRE-FINISHED
 1981 686 35 ESOL236

 1981 762 35 ESOL266
 1981 838 35 ESOL296

Agua





Size (mm)		Code
PRE-F	INISH	IED	
1981	610	35	EAGU20
1981	686	35	EAGU23
1981	762	35	EAGU26
1981	838	35	EAGU29
1981	686	44	EAGU23FD30
1981	762	44	FAGU26FD30

1981 838 44 EAGU29FD30 🌢

Agua Glazed



Size (mm)		Code		
PRE-F					
1981	686	35	EAGU23G		
1981	762	35	EAGU26G		
1981	838	35	EAGU29G		
Glazed fire doors available					
to ord	ler.				

Arcos



Size (mm)		code
PRE-F	INISE	IED	
1981	610	35	EARC20
1981	686	35	EARC23
1981	762	35	EARC26
1981	838	35	EARC29
1981	686	44	EARC23FD30 🎍
1981	762	44	EARC26FD30 🍑
1981	838	44	EARC29FD30

Arcos Glazed



Size (mm) Code

PRE-FINISHED

1981 686 35 EARC23G

1981 762 35 EARC26G

1981 838 35 EARC29G

Glazed fire doors available to order.

Makes

Takes

Make a statement with a power door system see page 12



Finish: Unfinished and pre-finished oak veneer **Style:** Raised shaped panels with raised mouldings **Glazing:** Clear bevelled safety glass with raised mouldings

12-6VM FD30 is clear flat fire glass

Other: FD30 Fire doors

All images show doors finished.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Royale 12M Oak

Bs



Size (mm)	Code	Size (r	nm)		Code
PRE-FINISHED		UNFIN	ISHE	D	
1981 610 35	12M610-0	1981	610	35	U012MN20
1981 686 35	12M686-0	1981	686	35	U012MN23
1981 762 35	12M762-0	1981	762	35	U012MN26
1981 838 35	12M838-0	1981	838	35	U012MN29
2030 625 40	12M625-0	1981	610	45	U012MN20FD30 🎍
2030 725 40	12M725-0	1981	686	45	U012MN23FD30 🍑
2030 825 40	12M825-0	1981	762	45	U012MN26FD30 🎍
1981 610 45	12MHH610-0 🍑	1981	838	45	U012MN29FD30 🍑
1981 686 45	12MHH686-0 🎍				
1981 762 45	12MHH762-0 🎍				
1981 838 45	12MHH838-0 🍑				
2030 725 45	12MHH725-0 🎍				

2030 825 45 12MHH825-0 🍑

Royale 12-6VM Oak

Bs 🔝



1981 610 35 126VM610G-0 1981 686 35 126VM686G-0 1981 762 35 126VM762G-0 1981 838 35 126VM838G-0

1701	030	22	1201110300 0
2030	625	40	126VM625G-0
2030	725	40	126VM725G-0
2030	825	40	126VM825G-0
1981	686	45	126VMHH686G-0 🍑
1981	762	45	126VMHH762G-0 🍑
1981	838	45	126VMHH838G-0 🍑
UNFIN	NISHE	D	
UNFIN 1981	NISHE 610	_	U0126VMN20
		35	
1981	610	35 35	
1981 1981	610 686 762	35 35	U0126VMN23
1981 1981 1981	610 686 762	35 35 35	U0126VMN23 U0126VMN26
1981 1981 1981 1981	610 686 762 838 686	35 35 35 35	U0126VMN23 U0126VMN26 U0126VMN29
1981 1981 1981 1981 1981	610 686 762 838 686	35 35 35 35 45	U0126VMN23 U0126VMN26 U0126VMN29 U0126VMN23FD30

Royale 11-8V Oak

Bs 🔝



Size (mm)		Code
UNFIN	NISHE	D*	
1981	686	35	U0118V686
1981	762	35	U0118V762
1981	838	35	U0118V838
Glaze to ord		e do	ors available

* Pre-finished available to order

Bs Bespoke options

Solid core construction FD30 Fire door

32 T: 01283 554197 33 www.jbkind.com



Finish: Unfinished and pre-finished oak veneer

Style: Raised shaped panels with raised mouldings

Glazing: Unglazed **Other:** FD30 Fire doors

All images show doors finished.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Royale E14M Oak

Bs



Size (mm) Code	Size (mm) Code
PRE-FINISHED	UNFINISHED
1981 610 35 E14M610-0	1981 610 35 UOE14MN20
1981 686 35 E14M686-0	1981 686 35 UOE14MN23
1981 762 35 E14M762-0	1981 762 35 UOE14MN26
1981 838 35 E14M838-0	1981 838 35 UOE14MN29
1981 686 45 E14MHH686-0	1981 686 45 UOE14MN23FD30
1981 762 45 E14MHH762-0 🌢	1981 762 45 UOE14MN26FD30
1981 838 45 E14MHH838-0 🌢	1981 838 45 U0E14MN29FD30

Royale E14-2VM Oak

Bs



Size (mm) Code
UNFINISHED*

1981 686 35 U0E142VMN23

1981 762 35 U0E142VMN26

1981 838 35 U0E142VMN29

Glazed fire doors available to order.


Royale E16M Oak

Bs



ize (mm)		Code
JNFI	VISHE	D*	
1981	610	35	UOE16MN20
1981	686	35	UOE16MN23
1981	762	35	UOE16MN26
1981	838	35	U0E16MN29
1981	686	45	U0E16MN23FD30 🍑
1981	762	45	U0E16MN26FD30 🍑
1981	838	45	U0E16MN29FD30 🍑

Pre-finished available to order



OAK CLASSIC





Dove Severn Churnet

Finish: Trent: Unfinished & pre-finished oak veneer

> Dove: unfinished oak veneer

Style: Raised shaped panels **Glazing:** Clear bevelled safety

glass

Other: FD30 Fire doors Pairs: rebated meeting stiles, left hand open away

Lifestyle images show doors finished.





Dove



Size ((mm)	Code	
UNFI	VISHE		
1981	610	35	ODOV20
1981	686	35	0D0V23
1981	762	35	ODOV26V
1981	838	35	ODOV29

Dove Pairs





Size (Size (mm) Code						
UNFIN	IISHED	*					
1981	1219	35	ODOV40				
1981	1372	35	0D0V46				
1981	1524	35	ODOV50				

Finish: Unfinished oak veneer **Style:** Flat recessed panels

Glazing: Severn: Clear flat safety glass Churnet: Diamond leaded safety glass

Other: FD30 fire doors

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Adding the faishing touch... see page 112

Make a statement with a pocket door system see page 12

Pre-finished size available from stock Pre-finished available to order

Solid core construction FD30 Fire door

Derwent





1120	/		coac
JNFIN	NISHE	D *	
1981	610	35	ODER20
1981	686	35	ODER23
1981	762	35	ODER26
1981	838	35	ODER29
2032	813	35	ODER28
1981	686	44	ODER23FD30 🎍
1981	762	44	ODER26FD30 🍑
1981	838	44	ODER29FD30 🎍

Size (mm)

UNFINISHED*

1981 686 35 OSEV23G

1981 762 35 OSEV26G

1981 838 35 OSEV29G

Code





Size (mm)	Code	
UNFIN	IISHE	D*	
1981	686	35	OCHUDL23
1981	762	35	OCHUDL26
1981	838	35	OCHUDL29

T: 01283 554197 36 www.jbkind.com 37

Dean



Finish: Pre-finished oak veneer Raised shaped panels Style: **Glazing:** Clear flat safety glass **Other:** FD30 Fire doors

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Charnwood





Size (mm)		Code
PRE-F	INISH	IED	
1981	533	35	VS02P19
1981	610	35	VS02P20
1981	686	35	VS02P23
1981	762	35	VS02P26
1981	838	35	VS02P29
1981	686	44	VS02P23FD30 🍑
1981	762	44	VS02P26FD30 🌢
1981	838	44	VS02P29FD30 🌢

Sherwood





Size (mm)	Code	Size (mm)		Code
PRE-FINISHED		PRE-F	INISH	IED	
1981 610 35	VS04P20	1981	686	35	VS06L2P23
1981 686 35	VS04P23	1981	762	35	VS06L2P26
1981 762 35	VS04P26	1981	838	35	VS06L2P29
1981 838 35	VS04P29				
1981 686 44	VSO4P23FD30 🍑				
1981 762 44	VSO4P26FD30 🍑				

Arden





Size (mm)		Code
PRE-F	INISH		
1981	762	35	VSO6L1P26G
1981	838	35	VS06I 1P29G

Grizedale

1981 838 44 VSO4P29FD30 🍑



Size (mm)		Code
PRE-F	INISH	IED	
1981	610	35	VS06P20
1981	686	35	VS06P23
1981	762	35	VS06P26
1981	838	35	VS06P29
1981	686	44	VS06P23FD30 🍑
1981	762	44	VSO6P26FD30 ♦
1981	838	44	VS06P29FD30 🎍

Gisburn





Size (mm)		Code
PRE-F	INISH	IED	
1981	686	35	VS010L23G
1981	762	35	VSO10L26G
1981	838	35	VSO10L29G

Solid core construction FD30 Fire door



Finish: Pre-finished oak veneer

Style: RO3: Flat panels with raised

mouldings

R11: Raised shaped panels with raised mouldings


Glazing: Clear bevelled safety glass with raised mouldings

Other: FD30 Fire doors

Royale RO3 Oak



2126	/		COUC
PRE-F	INISH	IED	
1981	610	35	R03610-0
1981	686	35	R03686-0
1981	762	35	R03762-0
1981	838	35	R03838-0
1981	762	45	R03HH762-0 🍑
1981	838	45	R03HH838-0 🍑



Royale RO3 Oak Glazed

Bs 🔝



Size (mm)		Code						
PRE-F	RE-FINISHED								
1981	686	35	R033V686-0						
1981	762	35	R033V762-0						
1981	838	35	R033V838-0						
Glaze	d fire	e do	ors available						
to ord	ler w	ith	clear flat gla						

Royale R11-2M Oak







Size (mm)		Code
PRE-F	INISH	IED	
1981	686	35	R112M686-0
1981	762	35	R112M762-0
1981	838	35	R112M838-0
1981	762	45	R112MHH762-0
1981	838	45	R112MHH838-0



Size (mm) Code PRE-FINISHED 1981 686 35 R112V686-0 1981 762 35 R112V762-0 1981 838 35 R112V838-0 Glazed fire doors available to order with clear flat glass.

Bs Bespoke options Solid core construction ♦ FD30 Fire door



42

Finish: Unfinished oak veneer

Style: Eden/Darwen: Flat panel with

decorative muntins

Mersey: Raised shaped panels

Glazing: Clear flat safety glass **Other:** FD30 Fire doors

Lifestyle images show doors finished.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Eden





size (mm)		code
UNFIN	NISHE	D*	
1981	610	35	OEDE20
1981	686	35	OEDE23
1981	762	35	OEDE26
1981	838	35	OEDE29
2040	626	40	OEDE626
2040	726	40	OEDE726
2040	826	40	OEDE826
1981	686	44	OEDE23FD30 🌢
1981	762	44	OEDE26FD30 🎍
1981	838	44	OEDE29FD30 🍑
2040	726	44	0EDE726FD30 🎍
2040	826	44	0EDE826FD30 ♦



Darwen





Size (mm)	Code	
UNFIN	NISHE	D*	
1981	686	35	ODAR23G
1981	762	35	ODAR26G
1981	838	35	ODAR29G
2040	726	40	ODAR726G
2040	826	40	ODAR826G

Mersey





Size (mm)		Code
UNFIN	NISHE	D*	
1981	610	35	OMER20
1981	686	35	OMER23
1981	762	35	OMER26
1981	838	35	OMER29
1981	762	44	OMER26FD30 🍑
1981	838	44	OMER29FD30 🎍

Humber



Size (mm)	Code	
UNFIN	NISHE	D*	
1981	762	35	OHUM26
1981	838	35	OHUM29

* Pre-finished available to order

Solid core construction FD30 Fire door



Finish: Pre-finished oak veneer **Style:** Wide shaker panel design **Glazing:** Clear flat safety glass

Other: FD30 Fire doors

Axis Oak

Size (mm) PRE-FINISHED

1981 610 35 VOAXI20 1981 686 35 VOAXI23 1981 762 35 VOAXI26

1981 838 35 VOAXI29 1981 686 44 VOAXI23FD30 🌢 1981 762 44 VOAXI26FD30 🍑 1981 838 44 VOAXI29FD30 🍑

T: 01283 554197

Code

Rebated door pairs can be ordered from stock (not fire doors) with a

short lead time.

Axis Oak Glazed





Size (mm) Code PRE-FINISHED 1981 686 35 VOAXI23G 1981 762 35 VOAXI26G 1981 838 35 VOAXI29G



Adding the faishing touch... see page 112

Axis Oak is also available in Walnut and White, see pages 63 & 99.



Solid core construction

FD30 Fire door



Finish: Unfinished oak veneer **Style:** Recessed flat panels **Glazing:** Clear flat safety glass **Other:** FD30 Fire doors

> Rebated door pairs can be ordered from stock (not fire doors) with a

short lead time.

Lifestyle images show doors finished.

Snowdon





mm)		Code
NISHE	D*	
610	35	OSN020
686	35	OSN023
762	35	OSN026
838	35	OSN029
626	40	OSN0626
726	40	OSN0726
826	40	OSN0826
686	44	OSN023FD30 🍑
762	44	OSN026FD30 🍑
838	44	OSNO29FD30 🍑
726	44	OSN0726FD30 🍑
826	44	OSN0826FD30 🍑
	610 686 762 838 626 726 826 686 762 838 726	726 40 826 40 686 44 762 44 838 44 726 44





UNFIN	ISHE)*			
1981	762	35	OSNO	BF26	
Bi-fol	ds ar	e ea	asy to	install	
into ex	kistin	g fr	ames	,	
suppli	ed re	eady	y hing	ed with	
				l a slidi	1
				hat the	
				listed	
and th	at th	e a	ctual I	bi-fold	
				smaller	-
to acc	omm	oda	ate tra	icking.	


Size (mm) Code





Size (mm) Code	Size (mm) Code
UNFINISHED*	UNFINISHED*
1981 686 35 ONEV23	1981 610 35 ORUS20
1981 762 35 ONEV26	1981 686 35 ORUS23
1981 838 35 ONEV29	1981 762 35 ORUS26
2040 726 40 ONEV726	1981 838 35 ORUS29
2040 826 40 ONEV826	1981 686 44 ORUS23FD30 🍑
	1981 762 44 ORUS26FD30 🍑
	1981 838 44 ORUS29FD30 🍑

Pre-finished available to order



OAK SHAKER





Finish: Unfinished oak veneer **Style:** Recessed flat panels **Glazing:** Clear flat safety glass **Other:** FD30 Fire doors


> Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Bi-folds are easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.













Eiger


1981 686 44 OEIG23FD30 🌢

1981 762 44 OEIG26FD30 🍑

1981 838 44 OEIG29FD30 🍑

Code	Size ((mm)		Code
	UNFI	VISHE	D *	
OFUJBF26	1981	610	35	OEIG20
	1981	686	35	OEIG23
	1981	762	35	OEIG26
	1981	838	35	OEIG29





Lifestyle images show doors finished.

Make a statement with a pocket door system see page 12

Pre-finished available to order

Solid core construction FD30 Fire door



Finish: Unfinished & pre-finished oak veneer **Style:** Grooved panels are full door thickness **Glazing:** 1/2 light/1 Light: Clear flat safety glass

with etched lines

6 Light: Clear flat safety glass

Other: 18mm edge lippings FD30 Fire doors

> Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



The grooved centre panel is full door thickness

Thames

Size (mm) UNFINISHED 1981 457 35 OTHA16

1981 533 35 OTHA19

1981 610 35 OTHA20v

1981 686 35 OTHA23v

1981 762 35 OTHA26v

1981 838 35 OTHA29v

2040 626 40 OTHA626v

2040 726 40 OTHA726v

2040 826 40 OTHA826v

2040 926 40 OTHA926

1981 610 44 OTHA20FD30v ♦

1981 686 44 OTHA23FD30v

1981 762 44 OTHA26FD30v

1981 838 44 OTHA29FD30v

2040 726 44 OTHA726FD30 🍑

2040 826 44 OTHA826FD30 🌢

2040 926 44 OTHA926FD30 è

Bs



Clear glass with etched lines



Thames 1 Light Thames 1/2 Light





Size (ze (mm)		Code
UNFIN	IISHE	D	
1981	686	35	MK20THA1L23v
1981	762	35	MK20THA1L26v
1981	838	35	MK20THA1L29v
2040	626	40	OTHA1L626v
2040	726	40	OTHA1L726v
2040	826	40	OTHA1L826v



Thames 6 Light

Size (Size (mm)		Code
UNFIN	NISHE		
1981	686	35	0THAVL23
1981	762	35	0THAVL26
1981	838	35	0THAVL29







2176 (111111)	code	
UNFIN	NISHE	D*	
1981	686	35	OTHA6L23
1981	762	35	OTHA6L26
1981	838	35	OTHA6L29
2040	626	40	OTHA6L62
2040	726	40	OTHA6L72
2040	826	40	OTHA6L82



Size (mm) Code UNFINISHED*
Size (mm) Code

1981 762 35 OTHABF26 Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Lifestyle images show doors finished.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only. V Pre-finished size available from stock


 Pre-finished available to order Bs Bespoke options

Solid core construction

FD30 Fire door

OAK COTTAGE





Finish: Unfinished and pre-finished oak veneer

Style: Wider and deeper grooves than Thames

Glazing: Clear bevelled safety glass

Other: 20mm edge lippings FD30 Fire doors

> Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Lifestyle images show doors finished.

Make a statement with a pocket door system see page 12



Yoxall



100		N.			E JULIAN		101	
1000	М			100				
100	100							
ш	100							- 1
					Size (Code
					UNFIN	IISHE)	
ш			ш		1981	457	35	OYOX16v
ш	ш		ш		1981	533	35	0Y0X19v
	ш		ш	1301	1981	610	35	OYOX20v
					1981	686	35	0Y0X23v
		ш			1981	762	35	OYOX26v
ш	м	w			1981	838	35	0Y0X29v
					2040	626	40	0Y0X626
	ш	•			2040	726	40	0Y0X726
M					2040	826	40	0Y0X826
	ш		m		2040	926	40	0Y0X926
			201		1981	610	44	OYOX20FD30v 🎍
					1981	686	44	OYOX23FD30v 🎍
m		MAN.			1981	762	44	OYOX26FD30v 🎍
			MI		1981	838	44	OYOX29FD30v 🌢
					2040	726	44	0Y0X726FD30 🎍
					2040	826	44	0Y0X826FD30 🎍


2040 926 44 OYOX926FD30 🍑

Tutbury



Size (mm)		Code	
UNFI	VISHE	D		
1981	686	35	OTUT23v	
1981	762	35	OTUT26v	
1981	838	35	OTUT29v	

Cherwell



Size (mm) Code PRE-FINISHED 1981 686 35 VOCHE23G

1981 762 35 VOCHE26G

1981 838 35 VOCHE29G

Glazed fire doors available

to order.

Code

Bs

Cherwell Glazed

Finish: Prefinished oak veneer **Style:** Full length vertical grooves **Glazing:** Clear flat safety glass with

raised beading **Other:** FD30 Fire doors

> Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

v Pre-finished size available from stock

Solid core construction Certifire FD30 Fire door

FD30 Fire door

52 T: 01283 554197 www.jbkind.com 53



Finish: Panelled doors: Pre-finished oak veneer

Ledged: Unfinished oak

Style: Natural knotty appearance 4 Panel/DX: recessed flat panels

Ledged: individual planks fixed with ledges

Glazing: 4 Panel: Clear flat safety glass DX: Opaque flat safety glass

a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Timber veneers are

Solid core construction

Rustic Oak 4 Panel



		-		l
Size (mm)		Code	
PRE-F	INISH	IED		
1981	610	35	R04P20	
1981	686	35	R04P23	
1981	762	35	R04P26	
1981	838	35	R04P29	

Rustic Oak Rustic Oak DX 4 Panel Glazed



Size (mm)		Code
PRE-F	INISH	IED	
1981	610	35	RODX20
1981	686	35	RODX23
1981	762	35	RODX26
1981	838	35	RODX29

Rustic Oak DX Glazed



PRE-FINISHED 1981 762 35 RODXT		Code	Size (mm)				
1981 762 35 RODXT			IED	INISH	PRE-F		
	L	RODXI	35	762	1981		

Rustic Oak Ledged





Size (mm) Code
PRE-FINISHED

1981 762 35 RO4P2TL26



Ledged and Braced style, the Braces are available separately.

If you wish to create a

Note: 40mm thickness = 20mm plank + 20mm ledge



1981 762 40 ROLED26

1981 838 40 ROLED29

Size (mm) Code
LEDGED BRACE PACK
(2 per pack)
1000 120 15 ROLEDBRPACK

www.jbkind.com T: 01283 554197

Front view





Finish: Pre-finished Walnut veneer

Style: Tigris/Emral: 5 ladder style panels, grooved into real wood Mistral: 3 ladder style panels,

grooved into MDF

Glazing: Emral: Clear flat safety glass

with raised beading

Mistral: Clear flat safety glass

with flush beading

Other: FD30 Fire doors

Mistral Walnut

Tigris Walnut

Bs



NAME OF TAXABLE PARTY.
The second secon
The second secon
-

Size (mm)		Code
PRE-F	INISH	IED	
1981	610	35	WTIG20
1981	686	35	WTIG23
1981	762	35	WTIG26
1981	838	35	WTIG29
1981	686	44	WTIG23FD30
1981	762	44	WTIG26FD30
1981	838	44	WTIG29FD30

Tigris and Emral are available in Oak and White, see pages 21 & 87.





Emral Walnut

Size (mm) Code

Bs Bespoke options

FD30 Fire door

Solid core construction Semi-solid core construction

Certifire FD30 Fire door

PRE-FINISHED 1981 686 35 WEMR23 1981 762 35 WEMR26

Bs 🔝



are available in

Mistral Walnut



2126			COUC
PRE-F	INISH	IED	
1981	610	35	WMIS20
1981	686	35	WMIS23
1981	762	35	WMIS26
1981	838	35	WMIS29
2040	526	40	WMIS526
2040	626	40	WMIS626
2040	726	40	WMIS726
2040	826	40	WMIS826
1981	686	44	WMIS23FD30
1981	762	44	WMIS26FD30
1981	838	44	WMIS29FD30
2040	726	44	WMIS726FD30
2040	826	44	WMIS826FD30
2040	926	44	WMIS926FD30

Mistral Walnut Glazed






Size (mm)	Code				
PRE-F	PRE-FINISHED					
1981	686	35	WMIS23G			
1981	762	35	WMIS26G			
1981	838	35	WMIS29G			
2040	626	40	WMIS626G			
2040	726	40	WMIS726G			
2040	826	40	WMIS826G			
Glazed fire doors available						
to order.						

Mistral Walnut is available in Oak and White, see pages 23 & 89.



WALNUT



Finish: Pre-finished Walnut veneer

Style: Fernor/Franquette: Flush horizontal

grained veneer

Mayette/Edras/Vina/Valcor: vertical and horizontal veneers with oak inlay

Size (mm)

PRE-FINISHED

1981 610 35 WFER20

1981 686 35 WFER23

1981 762 35 WFER26

1981 838 35 WFER29

1981 610 44 WFER20FD30 🍑

1981 686 44 WFER23FD30 🌢

1981 762 44 WFER26FD30 🌢

1981 838 44 WFER29FD30

Code

Glazing: Clear flat safety glass with raised

beading

Other: FD30 Fire doors



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

M Matching door pairs cannot be guaranteed

Bs Bespoke options

Standard core construction Certifire FD30 Fire door

Fernor









Size (mm)	Code			
PRE-F	INISI				
1981	686	35	WFRA23		
1981	762	35	WFRA26		
1981	838	35	WFRA29		
Glazed fire doors available					
to order.					

Franquette











Mayette



Size (mm)		Code	Size
PRE-F	INISH	ED		PRE-
1981	610	35	WMAY20	1981
1981	686	35	WMAY23	1981
1981	762	35	WMAY26	1981
1981	838	35	WMAY29	Glaz
1981	686	44	WMAY23FD30	to or
1981	762	44	WMAY26FD30	

1981 838 44 WMAY29FD30 🌢

Edras





Size (mm)	Code		
PRE-F	INISH			
1981	686	35	WEDR23	
1981	762	35	WEDR26	
1981	838	35	WEDR29	
Glazed fire doors available				
to control				

Vina





Code
WVIN20
WVIN23
WVIN26
WVIN29
WVIN23FD30
WVIN26FD30 🍑

1981 838 44 WVIN29FD30 🌢

Valcor



Size (mm)

to order.

PRE-FINISHED

Code



1981 686 35 WVAL23 1981 762 35 WVAL26 Make a 1981 838 35 WVAL29 statement with Glazed fire doors available a pocket door system see page 12

61

T: 01283 554197 60 www.jbkind.com



Finish: Pre-finished Walnut veneer

Style: Axis: Wide shaker panel design

Lara/Parisienne: 5 horizontal grained panels grooved into real wood

Glazing: Clear flat safety glass (Parisienne

has raised beading)

Other: FD30 Fire doors

Axis: Rebated door pairs can be ordered from stock (not fire doors)

with a short lead time.

Axis Walnut






Size (mm)			Code
PRE-F	INISH	IED	
1981	610	35	VWAXI20
1981	686	35	VWAXI23
1981	762	35	VWAXI26
1981	838	35	VWAXI29
1981	686	44	VWAXI23FD30 🍑
1981	762	44	VWAXI26FD30 🍑
1981	838	44	VWAXI29FD30 🎍

Axis is available in Oak and White, see pages 45 & 99.





Axis Walnut Glazed





Size (mm)			Code
PRE-F	INISH	IED	
1981	686	35	VWAXI23G
1981	762	35	VWAXI26G
1981	838	35	VWAXI29G

Lara





Size (mm)			Code
PRE-F	INISE	IED	
1981	610	35	WLAR20
1981	686	35	WLAR23
1981	762	35	WLAR26
1981	838	35	WLAR29
1981	610	44	WLAR20FD30
1981	686	44	WLAR23FD30
1981	762	44	WLAR26FD30
1981	838	44	WLAR29FD30

Parisienne





2176 (3126 (111111)						
PRE-F	INISH	IED					
1981	686	35	WPAF				
1981	762	35	WPA				
1981	838	35	WPA				
Glaze	Glazed fire doors av						
to ord	to order.						
	M Matching door p						

M Matching door pairs cannot be guaranteed

Bs Bespoke options
Solid core construction

Standard core construction
Certifire FD30 Fire door

FD30 Fire door

Contemporary elegance – Laminate doors offer a consistent, durable finish in a selection of on-trend coloured wood effect finishes – perfect for all interiors.



Finish: Pre-finished laminate with grey and ivory coloured wood effect

Style: 5 ladder style panels with grey (Lava) and light (Ivory) coloured grooves

Glazing: Clear flat safety glass with raised beading

Other: FD30 Fire doors

If trimming is required the door edges will need retouching. See website for colour match information.

Tigris Lava





Size (mm)			Code
FINIS	HED		
1981	610	35	LAVTIG20
1981	686	35	LAVTIG23
1981	762	35	LAVTIG26
1981	838	35	LAVTIG29
1981	686	44	LAVTIG23FD30 🎍
1981	762	44	LAVTIG26FD30 🎍
1981	838	44	LAVTIG29FD30 🍑



Tigris is also available in Oak, Walnut and White, see pages 21, 59 & 87.



Tigris Lava Glazed





ze (mm)		Code	S
NISI	HED			F
981	686	35	LAVTIG23G	1
981	762	35	LAVTIG26G	1
981	838	35	LAVTIG29G	1

Tigris Ivory





Size (mm)			Code
FINISI	HED		
1981	610	35	IVOTIG20
1981	686	35	IVOTIG23
1981	762	35	IVOTIG26
1981	838	35	IVOTIG29
1981	686	44	IVOTIG23FD30 🌢
1981	762	44	IVOTIG26FD30 🎍
1981	838	44	IVOTIG29FD30 🍑

Tigris Ivory Glazed





Size (mm)	Code			
FINISHED					
1981	686	35	IVOTIG23G		
1981	762	35	IVOTIG26G		
1981	838	35	IVOTIG29G		

Semi-solid core construction FD30 Fire door

LAMINATES



Finish: Pre-finished laminate with smoky grey (Fumo) and dark grey walnut (Cinza)

coloured wood effect

Style: Central panel is slightly recessed

Glazing: Clear flat safety glass with raised beading

Other: FD30 Fire doors

If trimming is required the door edges will need retouching. See website for colour match information.

Size (mm)

PRE-FINISHED

Code

1981 838 44 LALAFUM29FD30 🌢

1981 610 35 LALAFUM20 1981 686 35 LALAFUM23 1981 762 35 LALAFUM26 1981 838 35 LALAFUM29 1981 686 44 LALAFUM23FD30 ♦ 1981 762 44 LALAFUM25FD30 ♦

Alabama Fumo





Alabama Fumo Glazed





Size (mm)	Code
PRE-FINISHED	
1981 686 35	LALAFUMG23
1981 762 35	LALAFUMG26
1981 838 35	LALAFUMG29

Alabama Cinza





Size (mm)		Code		
PRE-FINISHED					
1981	610	35	LALACIN20		
1981	686	35	LALACIN23		
1981	762	35	LALACIN26		
1981	838	35	LALACIN29		
1981	686	44	LALACIN23FD30 🌢		
1981	762	44	LALACIN26FD30 🍑		
1981	838	44	LALACIN29FD30 🌢		

Alabama Cinza Glazed







Size (mm)	Code		
PRE-FINISHED				
1981	686 35	LALACING23		
1981	762 35	LALACING26		
1981	838 35	LALACING29		





Semi-solid core constructionFD30 Fire door





Finish: Pre-finished laminate with oak (Hudson) and grey (Colorado) coloured wood effect

Style: Grooved cottage style central panel **Glazing:** Hudson: Clear flat safety glass with raised beading

Colorado: Clear flat safety glass with etched lines and raised beading

Other: FD30 fire doors

If trimming is required the door edges will need retouching. See website for colour match information.

Hudson





Size (mm)		Code
PRE-F	INISH	IED	
1981	610	35	LHUD20
1981	686	35	LHUD23
1981	762	35	LHUD26
1981	838	35	LHUD29
2040	626	40	LHUD626
2040	726	40	LHUD726
2040	826	40	LHUD826
1981	610	44	LHUD20FD30 🍑
1981	686	44	LHUD23FD30 🍑
1981	762	44	LHUD26FD30 🍑
1981	838	44	LHUD29FD30 🌢
2040	626	44	LHUD626FD30 🍑
2040	726	44	LHUD726FD30 🌢
2040	826	44	LHUD826FD30 🌢
2040	926	44	LHUD926FD30 🍑



Hudson Glazed





Size (mm)	Code	
PRE-F	INISH	IED	
1981	686	35	LHUDG23
1981	762	35	LHUDG26
1981	838	35	LHUDG29
2040	626	40	LHUDG626
2040	726	40	LHUDG726
2040	826	40	LHUDG826

Colorado





3126 (111111)			code
PRE-F	INISH	IED	
1981	610	35	LCOLO20
1981	686	35	LCOLO23
1981	762	35	LCOLO26
1981	838	35	LCOLO29
1981	610	44	LCOLO20FD30 🌢
1981	686	44	LCOLO23FD30 🎍
1981	762	44	LCOLO26FD30 🎍
1981	838	44	LCOLO29FD30 🌢

Colorado Glazed






Size (mm)	Code			
PRE-FINISHED					
1981	686	35	LCOLO23G		
1981	762	35	LCOLO26G		
1981	838	35	LCOLO29G		

Semi-solid core construction FD30 Fire door

Painted Hinsin

Painted finish doors use state-of-the-art technology to create realistic timber graining in a choice of colours – achieving a perfect, uniform look.

PAINTED FINISH



Finish: Painted mid-grey (Pintado & Ardosia) and dark grey (Argento) finishes with vertical grain

Style: Pintado: Plain flush

Ardosia: Flush with grey coloured grooves Argento: Flush with silver coloured grooves

Glazing: Clear flat safety glass with raised beading

Other: FD30 fire doors

FSC® Certified (Argento)

If trimming is required the door edges will need retouching. See website for colour match information.

Make a statement with a pocket door system see page 12



Pintado Grey

Bs



Size (mm)		Code
PRE-F	INISH	ED	
1981	610	35	NGPINT20
1981	686	35	NGPINT23
1981	762	35	NGPINT26
1981	838	35	NGPINT29
1981	686	44	NGPINT23FD30 🌢
1981	762	44	NGPINT26FD30 🌢
1981	838	44	NGPINT29FD30 🌢

Bs Bespoke options - mininium

Standard core construction Certifire FD30 Fire door FD30 Fire door

quantity may apply Semi-solid core construction

Pintado Grey Glazed







Size (mm)			Code		
PRE-F	INISH	IED			
1981	686	35	NGPINT23G		
1981	762	35	NGPINT26G		
1981	838	35	NGPINT29G		
1981 838 35 NGPINT29G Glazed fire doors available to order.					

Ardosia





ze (mm)			Code	
RE-F	INISH	ED		
981	610	35	NARD20	
981	686	35	NARD23	
981	762	35	NARD26	
981	838	35	NARD29	
981	686	44	NARD23FD30 🎍	
981	762	44	NARD26FD30 🎍	
981	838	44	NARD29FD30 🎍	

Ardosia Glazed





ze (mm)		Code			
RE-F	INISH					
981	686	35	NARD23G			
981	762	35	NARD26G			
981	838	35	NARD29G			
lazed fire doors available order.						

Argento





ze (mm)		Code
RE-F	INISH	ED	
981	610	35	ECARG20
981	686	35	ECARG23
981	762	35	ECARG26
981	838	35	ECARG29
981	686	45	ECARGHH23 🎍
981	762	45	ECARGHH26 🎍
981	838	45	ECARGHH29

Argento Glazed





Size (mm)			Code
PRE-F	INISE		
1981	686	35	ECARG23G
1981	762	35	ECARG26G
1981	838	35	ECARG29G
.,,,,		-	LUMINOLOG

74 T: 01283 554197 75 www.jbkind.com

PAINTED FINISH



Finish Mocha: Painted soft walnut finish with vertical grain Wenge: Painted wenge finish with horizontal grain

Style: Mocha: 5 ladder style panels with ivory coloured grooves Wenge: 5 horizontal panels with wenge coloured grooves

Glazing: Clear flat safety glass with raised beading

Other: FD30 fire doors FSC® Certified

> If trimming is required the door edges will need retouching. See website for colour match information.



Mocha





Size (mm)		Code
PRE-F	INISH	IED	
1981	610	35	ECMOC20
1981	686	35	ECMOC23
1981	762	35	ECMOC26
1981	838	35	ECMOC29
1981	686	45	ECMOCHH23 🌢
1981	762	45	ECMOCHH26 🌢
1981	838	45	ECMOCHH29 🌢

T: 01283 554197

Mocha Glazed





Size (mm)			Code	
PRE-F	INISH	IED		
1981	686	35	ECMOC23G	
1981	762	35	ECMOC26G	
1981	838	35	ECMOC29G	



Wenge





Size (mm)		Code
PRE-F	INISH	IED	
1981	610	35	ECWEN20
1981	686	35	ECWEN23
1981	762	35	ECWEN26
1981	838	35	ECWEN29
1981	686	45	ECWENHH23
1981	762	45	ECWENHH26
1981	838	45	ECWENHH29

Wenge Glazed M





Size (mm)	Code	
PRE-F	INISE		
1981	686	35	ECWEN23G
1981	762	35	ECWEN26G
1981	838	35	ECWEN29G



M Matching door pairs cannot be guaranteed

Standard core construction FD30 Fire door



Finish: Painted oak (Tate/Louvre) and natural (Viridis) colour finishes with

vertical grain

Style: Tate/Louvre: 5 horizontal panels,

grooved into MDF

Viridis: Flush with light coloured grooves

Glazing: Clear flat safety glass with raised

beading

Other: FD30 fire doors

If trimming is required the door edges will need retouching. See website for colour match information.

Tate

Bs M





Size (mm)			Code
pre-fi	nishe	ed	
1981	610	35	GTAT20
1981	686	35	GTAT23
1981	762	35	GTAT26
1981	838	35	GTAT29
1981	686	44	GTAT23FD30
1981	762	44	GTAT26FD30
1981	838	44	GTAT29FD30

- M Matching door pairs cannot be guaranteed
- Bs Bespoke options mininium quantity may apply Standard core construction
- Certifire FD30 Fire door







Size (mm)	Code			
PRE-FINISHED					
1981	686	35	GLOU23		
1981	762	35	GLOU26		
1981	838	35	GLOU29		
Glazed fire doors available to order.					







bre-m	pre-mnisned				
1981	610	35	NVIR20		
1981	686	35	NVIR23		
1981	762	35	NVIR26		
1981	838	35	NVIR29		
1981	686	44	NVIR23FD30 🍑		
1981	762	44	NVIR26FD30 🎍		
1981	838	44	NVIR29FD30 🎍		





Size (mm)			Code	
PRE-F	INISH	IED		
1981	686	35	NVIR23G	
1981	762	35	NVIR26G	
1981	838	35	NVIR29G	
Glazed fire doors available to order.				



T: 01283 554197 78 www.jbkind.com





Finish White primed

Style: Flat panels with decorative flush

mouldings

Glazing: Clear flat safety glass

Belton Etched: inner etched panel

with a clear perimeter

Other: FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a

short lead time.

NEW Osborne





DDIMED	
PRIMED	
1981 610 35 SOSB20	
1981 686 35 SOSB23	
1981 762 35 SOSB26	
1981 838 35 SOSB29	
1981 686 44 SOSB23FD30 🍑	
1981 762 44 SOSB26FD30 🌢	
1981 838 44 SOSB29FD30 🍑	

NEW Belton





SBEL20
SBEL23
SBEL26
SBEL29
SBEL23FD30 🌢
SBEL26FD30 🍑
SBEL29FD30 🍑

Size (mm)

NEW Colour Options paint service

Looking to paint your doors a different colour? Let us take the hassle away and arrange for your doors to be professionally spray painted.

Virtually all of our internal white doors are suitable for this service – look out for the icon.

Contact us with your preferred RAL colour reference and we'll do the rest!

See page 9 for more information.

NEW Belton Clear Glazed





NEW Belton

Etched Glazed

Size (mm)	Code
PRIMED	
1981 686 35	SBEL1L23
1981 762 35	SBEL1L26
1981 838 35	SBEL1L29

Size (mm)	Code
PRIMED	
1981 686 35	SBEL1LETC23
1981 762 35	SBEL1LETC26
1981 838 35	SBEL1LETC29



Colour Options Service
Solid core construction
FD30 Fire door



84

Finish White primed

Style: Flat panels with decorative flush mouldings

Glazing: Clear flat safety glass **Other:** FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

NEW Catton





2176			COGC
PRIM	ED		
1981	610	35	SCAT20
1981	686	35	SCAT23
1981	762	35	SCAT26
1981	838	35	SCAT29
1981	686	44	SCAT23FD30
1981	762	44	SCAT26FD30
1981	838	44	SCAT29FD30

T: 01283 554197



NEW Catton Glazed







Size (mm)		Code	
PRIM	ED			
1981	686	35	SCAT3L23	
1981	762	35	SCAT3L26	
1981	838	35	SCAT3L29	

NEW Hardwick







ize (mm)		Code		
RIMED					
981	610	35	SHAR20		
981	686	35	SHAR23		
981	762	35	SHAR26		
981	838	35	SHAR29		
981	686	44	SHAR23FD30 🌢		
981	762	44	SHAR26FD30 🌢		
981	838	44	SHAR29FD30 🌢		

Colour Options Service Solid core construction

85

www.jbkind.com



Finish: Pre-finished white

Style: 5 ladder style panels, grooved

into MDF

Glazing: Clear flat safety glass with flush beading

Other: FD30 Fire doors FSC® Certified

> Rebated door pairs can be ordered from stock (not bi-fold)

with a short lead time. Contact us for fire door options.

Tigris White





Size (mm)	Code
PRE-F	INISHED	
1981	610 35	LTIG20
1981	686 35	LTIG23
1981	762 35	LTIG26
1981	838 35	LTIG29
1981	610 44	LTIG20FD30 🍑
1981	686 44	LTIG23FD30 🍑
1981	762 44	LTIG26FD30 🍑
1981	838 44	LTIG29FD30 🍑



Emral White







Size (mm)		Code	
PRE-F	INISI	IED		
1981	686	35	LEMR23G	
1981	762	35	LEMR26G	
1981	838	35	LEMR29G	
Glazed fire doors available				
to ord	ler			

Tigris White Bi-fold





Size (mi	n)	Code
PRE-FIN	ISHED	
1981 70	52 35	LTIGBF26

hinged with pivots, brackets and a sliding track. Note: door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Tigris and Emral are available in Oak and Walnut, see pages 21 & 59.









Colour Options Service Bs Bespoke options

Standard core construction FD30 Fire door



Finish: White primed

Style: 3 ladder style panels,

grooved into MDF

Glazing: Clear flat safety glass with flush beading

Other: FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not bi-fold)

with a short lead time.

Contact us for fire door options.

Mistral White







Size (mm)	Code
PRIMED	
1981 610 35	LMIS20
1981 686 35	LMIS23
1981 762 35	LMIS26
1981 838 35	LMIS29
2040 526 40	LMIS526
2040 626 40	LMIS626
2040 726 40	LMIS726
2040 826 40	LMIS826
1981 686 44	LMIS23FD30 🍑
1981 762 44	LMIS26FD30 🍑
1981 838 44	LMIS29FD30 🍑
2040 726 44	LMIS726FD30 🍑
2040 826 44	LMIS826FD30 🍑

2040 926 44 LMIS926FD30 🍑

Mistral White is also available in Oak and Walnut, see pages 23 & 59.







Mistral White Glazed







Size (mm)	Code
PRIMED	
1981 686 35	LMIS23G
1981 762 35	LMIS26G
1981 838 35	LMIS29G
2040 626 40	LMIS626G
2040 726 40	LMIS726G
2040 826 40	LMIS826G
Glazed fire doo to order.	ors available

Mistral White Bi-fold





Size (mm)

Mistral White Bi-fold is also available in Oak, see page 23.



1981 762 35 LMISBF26 Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track. Note: door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Code

Bs Bespoke options Standard core construction

Colour Options Service ♦ FD30 Fire door

88 www.jbkind.com T: 01283 554197 89



Finish: Pre-finished white

Style: Parelo/Linea: Flush with black coloured grooves

Blanco: Flush with aluminium coloured inlays

Glazing: Clear flat safety glass with raised beading

Other: FD30 Fire doors FSC® Certified

Linea

Parelo









Size (mm)		Code
PRE-F	INISH	ED	
1981	686	35	ECPAR23G
1981	762	35	ECPAR26G
1021	838	35	FCPAR29G

Size (mm)		Code		Size (mm)		(
PRE-F	INISH	ED			PRE-F	INISH	ED	
1981	610	35	ECPAR20		1981	686	35	E
1981	686	35	ECPAR23		1981	762	35	E
1981	762	35	ECPAR26		1981	838	35	E
1981	838	35	ECPAR29					
1981	686	45	ECPARHH23	&				
1981	762	45	ECPARHH26	•				
1981	838	45	ECPARHH29	<u> </u>				

Blanco



Linea Glazed



ze (mm) Code	Size (mm)
RE-FINISHED	PRE-FINISH
981 610 35 ECBLA20	1981 686
981 686 35 ECBLA23	1981 762
981 762 35 ECBLA26	1981 838
981 838 35 ECBLA29	
981 686 45 ECBLAHH23 🌢	
981 762 45 ECBLAHH26 🌢	
081 838 45 FCBLAHH29 🌢	Standa

Blanco Glazed





Size (mm)		Code	
PRE-F	INISH	IED		
1981	686	35	ECBLA23G	
1981	762	35	ECBLA26G	
1981	838	35	ECBLA29G	

ard core construction FD30 Fire door

PRE-FINISHED 1981 610 35 ECLIN20 1981 686 35 ECLIN23 1981 762 35 ECLIN26 1981 838 35 ECLIN29 1981 686 45 ECLINHH23 🌢

Size (mm) Size (mm) PRE-FINISHED 1981 686 35 ECLIN23G 1981 762 35 ECLIN26G 1981 838 35 ECLIN29G

1981 762 45 ECLINHH26 🌢 1981 838 45 ECLINHH29 🍑

T: 01283 554197

91



Finish: White primed

Style: MDF face with feature grooves


Glazing: Clear flat safety glass with flush beading

Dominion: Etched flat safety glass with clear rectangular pattern and raised beading

Other: FD30 Fire doors FSC® Certified

Rebated door pairs can be ordered from stock (not bi-fold) with a short lead time.

Contact us for fire door options.





-				
Size (mm)		Code	Size (mm) Code
PRIM	ED			PRIMED
1981	610	35	LADE20	1981 762 35 LADEBF26
1981	686	35	LADE23	
1981	762	35	LADE26	
1981	838	35	LADE29	
1981	686	44	LADE23FD30 🌢	
1981	762	44	LADE26FD30 🍑	
1981	838	44	LADE29FD30 🎍	

Adelphi Bi-fold







Size (mm)		Code
PRIM	ED		
1981	686	35	LDOM23
1981	762	35	LDOM26
1981	838	35	LDOM29
1981	762	44	LDOM26FD30
1981	838	44	LDOM29FD30

Imperial





Size (mm)		code
PRIM	ED		
1981	610	35	LIMP20
1981	686	35	LIMP23
1981	762	35	LIMP26
1981	838	35	LIMP29
1981	686	44	LIMP23FD30
1981	762	44	LIMP26FD30 🌢
1981	838	44	LIMP29FD30 🍑

Regent





Size (mm)		Code
PRIMI	ED		
1981	686	35	LREG23
1981	762	35	LREG26
1981	838	35	LREG29

- M Matching door pairs cannot be guaranteed Bs Bespoke options Standard core construction
- Colour Options Service FD30 Fire door

Arcadian

Size (mm)

1981 686 35 LARC23 1981 762 35 LARC26


1981 838 35 LARC29





Eclipse

Cizo /	·		Cada
Size (mm)		Code
Size (Code
PRIM	ED	35	
	ED 610		Code LECL20 LECL23



Oriole







ize (mm)		Code	
PRIM	ED			
1981	686	35	LORI23	
1981	762	35	LORI26	
1981	838	35	LORI29	



Finish: White primed

Style: Apollo/Barbican: MDF face with ladder style

feature grooves

Savoy/Phoenix: Grooved cottage style central panel

Ripple: Textured effect

Glazing: Barbican: Etched flat safety glass with clear

rectangular pattern and raised beading Clear flat safety glass with flush (Ripple) and

raised (Phoenix) beading

Other: FD30 Fire doors FSC® Certified

> Rebated door pairs can be ordered from stock (not Ripple) with a short lead time. Contact us

for fire door options.




Bs Bespoke options

Semi-solid core construction Standard core construction

Colour Options Service

FD30 Fire door



Barbican





Code Size (mm) PRIMED 1981 686 35 LBAR23 1981 762 35 LBAR26 1981 838 35 LBAR29 1981 762 44 LBAR26FD30 🌢 1981 838 44 LBAR29FD30 🌢

Savoy





Size (mm)			Code
PRIM	ED		
1981	610	35	LSAV20
1981	686	35	LSAV23
1981	762	35	LSAV26
1981	838	35	LSAV29
1981	762	44	LSAV26FD30 🎍

1981 838 44 LSAV29FD30 🍑

Phoenix






Size (mm)	Code	
PRIMED		
1981 686 35	LPH023	
1981 762 35	LPH026	
1981 838 35	LPH029	

Ripple

Size (mm)






Size (mm) Code	Size (mm)	code
PRIMED	PRIMED	
1981 610 35 RIP20	1981 686 35	RIP23G
1981 686 35 RIP23	1981 762 35	RIP26G
1981 762 35 RIP26	1981 838 35	RIP29G
1981 838 35 RIP29		
1981 686 45 RIP23FD30 🌢		
1981 762 45 RIP26FD30 🌢		
1981 838 45 RIP29FD30 🍑		

Code

95

T: 01283 554197 94 www.jbkind.com





Finish: Premium primed

Style: MDF face with feature grooves

Other: FD30 Fire doors

Adding the

see page 112

faishing touch...

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Elektra






















Fortune

Size (mm)			Code
PRIM	ED		
1981	610	35	LELE20
1981	686	35	LELE23
1981	762	35	LELE26
1981	838	35	LELE29
1981	686	44	LELE23FD30 🎍
1981	762	44	LELE26FD30
1981	838	44	LELE29FD30





1981 838 35 LFOR29

1981 686 44 LFOR23FD30 🌢

1981 762 44 LFOR26FD30 🎍

1981 838 44 LFOR29FD30

Lyric

Bs

Size (mm)		Code
PRIM	ED		
1981	610	35	LLYR20
1981	686	35	LLYR23
1981	762	35	LLYR26
1981	838	35	LLYR29
1981	686	44	LLYR23FD30
1981	762	44	LLYR26FD30
1981	838	44	LLYR29FD30


Novello











Size (mm)

1981 610 35 LCRI20 1981 686 35 LCRI23

1981 762 35 LCRI26

1981 838 35 LCRI29

1981 686 44 LCRI23FD30 🌢

1981 762 44 LCRI26FD30 🍑

1981 838 44 LCRI29FD30 🌢

PRIMED

Code

Size (mm)			Code
PRIM	ED		
1981	610	35	LNOV20
1981	686	35	LN0V23
1981	762	35	LNOV26
1981	838	35	LNOV29
1981	762	44	LNOV26FD30 🎍
1981	838	44	LNOV29FD30 🎍



Bs Bespoke options Standard core construction Colour Options Service Certifire FD30 Fire door



Finish: White primed

Style: Wide shaker panel design

Axis Ripple: Textured ripple effect centre panel

Glazing: Clear flat safety glass **Other:** FD30 Fire doors FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



Axis White







Size (mm)			Code
PRIM	ED		
1981	610	35	SAXI20
1981	686	35	SAXI23
1981	762	35	SAXI26
1981	838	35	SAXI29
1981	686	44	SAXI23FD30 🍑
1981	762	44	SAXI26FD30 🍑
1981	838	44	SAXI29FD30 🍑


Axis White is also available in Oak and Walnut, see pages 45 & 63.





Size (mm)	Code			
PRIMED					
1981	686	35	SAXI23G		
1981	762	35	SAXI26G		
1981	838	35	SAXI29G		





Axis White Bi-fold





Size (mm) PRIMED

1981 762 35 SAXIBFG26

Glazed Bi-fold

1981	762	35	SAXIBF26
PRIM	ED		
Size (mm)	Code	



Axis White Ripple





mm)	Code	
ED		
610	35	SAXIRIP20
686	35	SAXIRIP23
762	35	SAXIRIP26
838	35	SAXIRIP29
	610 686 762	610 35 686 35 762 35



Axis Ripple centre panel

Solid core construction Semi-solid core

WHITE SHAKER





Finish White primed

Style: Full recessed flat panel.

Jamaica/Trinidad includes decorative muntins.

Glazing: Clear flat safety glass Other: FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.

Antigua







Size (mm)			Code
PRIMED			
1981	610	35	CANTI20
1981	686	35	CANTI23
1981	762	35	CANTI26
1981	838	35	CANTI29
1981	686	44	CANTI23FD30 🍑
1981	762	44	CANTI26FD30 🍑
1981	838	44	CANTI29FD30 🍑

Tobago



Size (mm)	Code	
PRIMI	ED		
1981	686	35	CTOB23
1981	762	35	CTOB26
1981	838	35	CTOB29
1981	762	44	CTOB26FD30
1981	838	44	CTOB29FD30

Antigua Bi-fold





Size (mm)

1981 762 35 CTOBBF26

Size (mm)	Code
PRIMED	
1981 762 35	CANTIBF26

Bi-folds are easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.





Size (mm)		Code
PRIMI	ED	
1981	610 35	CJAM20
1981	686 35	CJAM23
1981	762 35	CJAM26
1981	838 35	CJAM29
1981	686 44	CJAM23FD30 🍑
1981	762 44	CJAM26FD30 🍑
1981	838 44	CJAM29FD30 🍑

Trinidad





Size (mm)			Code	
PRIM	ED			
1981	686	35	CTRI23	
1981	762	35	CTRI26	
1981	838	35	CTRI29	


Adding the faishing touch... see page 112

Solid core construction Colour Options Service FD30 Fire door

100 www.jbkind.com T: 01283 554197 101

Tobago FD30 fire door has raised beading

WHITE SHAKER



Finish: White primed

Style: Aurora: retro sunshine door

Geo/Eccentro: wide shaker panel design

Glazing: Clear flat safety glass with additional etched option for the Aurora

Other: FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



Aurora Etched Glazed has opaque etched glass

Solid core construction Semi-solid core construction

Colour Options Service FD30 Fire door







Size (mm)	Code	
PRIMI	ED		
1981	686 35	CAUR23	
1981	762 35	CAUR26	
1981	838 35	CAUR29	

Aurora Clear Glazed







NEW Aurora

ize (mm)	Code
RIM	ED	
981	762 35	CAUR26ETCG

Geo



Size (mm)		Code
PRIM	ED		
1981	610	35	SGE020
1981	686	35	SGE023
1981	762	35	SGE026
1981	838	35	SGE029
1981	686	44	SGE023FD30 🎍
1981	762	44	SGE026FD30 🎍
1981	838	44	SGE029FD30 🎍

Geo Glazed



Size (mm)		Code
PRIM	ED		
1981	686	35	SGE023G
1981	762	35	SGE026G
1981	838	35	SGE029G

Eccentro

PRIMED

1981 610 35 SECC20

1981 686 35 SECC23

1981 762 35 SECC26

1981 838 35 SECC29

1981 686 44 SECC23FD30 è

1981 762 44 SECC26FD30 🌢

1981 838 44 SECC29FD30 🍑



Size (mm) PRIMED 1981 686 35 SECC23G 1981 762 35 SECC26G 1981 838 35 SECC29G

Make a statement with a pocket door system see page 12




Finish: White primed **Style:** Recessed flat panels **Glazing:** Clear flat safety glass Other: FD30 Fire doors

FSC® Certified


Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.

Barbados





Size (mm)		Code
PRIM	ED		
1981	610	35	CBAR20
1981	686	35	CBAR23
1981	762	35	CBAR26
1981	838	35	CBAR29
1981	686	44	CBAR23FD30 🍑
1981	762	44	CBAR26FD30 🍑
1981	838	44	CBAR29FD30 🍑



Dominica





Size (mm)			code	
PRIM	ED			
1981	686	35	CDOMI23	
1981	762	35	CDOMI26	
1981	838	35	CDOMI29	

Montserrat











Size (mm)			Code
PRIMI	ED		
1981	686	35	CCAY23
1981	762	35	CCAY26
1981	838	35	CCAY29

Cayman Bi-fold

Montserrat Bi-fold

Size (mm)

1981 610 35 CMON20 1981 686 35 CMON23 1981 762 35 CMON26 1981 838 35 CMON29 1981 610 44 CMON20FD30 🍑

1981 686 44 CMON23FD30 🍑

1981 762 44 CMON26FD30 🌢

1981 838 44 CMON29FD30 🍑

PRIMED







1981 762 35 CMONBF26	1981 762 35 CCAYBF26
PRIMED	PRIMED
Size (mm) Code	Size (mm) Code

Size (mm)	Code

Bi-folds are easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.



Finish: White primed grained effect

Quattro: smooth effect

Style: Moulded panel

Glazing: Clear flat safety glass with flush beading

Andorra: etched with clear rectangular pattern

Cottage: clear with etched lines

Other: FD30 Fire doors FSC® Certified

Important:


Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.

Quattro





2176 (111111)			code	
PRIMED SMOOTH				
1981	610	35	QUA20	
1981	686	35	QUA23	
1981	711	35	QUA24	
1981	762	35	QUA26	
1981	838	35	QUA29	
1981	686	44	QUA23FD30 🍑	
1981	762	44	QUA26FD30 🍑	
1981	838	44	QUA29FD30 🍑	



FD30 Fire door

Quattro Glazed





Size (mm)		Code		
PRIM	ED SA	100	TH	
1981	686	35	QUA4L23	
1981	762	35	QUA4L26	
1981	838	35	QUA4L29	

Caprice









Size (mm) Code	Size (mm) Code
PRIMED GRAINED	PRIMED GRAINED
1981 610 35 CAP20	1981 610 35 MCOT520
1981 686 35 CAP23	1981 686 35 MCOT523
1981 762 35 CAP26	1981 762 35 MCOT526
1981 838 35 CAP29	1981 838 35 MCOT529
2040 726 40 CAP726	1981 686 44 MCOT523FD30 🌢
2040 826 40 CAP826	1981 762 44 MCOT526FD30 🌢
1981 762 44 CAP26FD30 🍑	1981 838 44 MCOT529FD30 🌢
1981 838 44 CAP29FD30 🍑	
2040 726 44 CAP726FD30 🌢	
2040 826 44 CAP826FD30 🌢	

Andorra

Size (mm) Code PRIMED GRAINED

1981 686 35 CAPAND23

1981 762 35 CAPAND26 1981 838 35 CAPAND29

Cottage 1 Light





Size (mm)		Code	
PRIM	ED GF	RAIN	IED	
1981	686	35	MCOT51L23	
1981	762	35	MCOT51L26	
1981	838	35	MCOT51L29	



Finish: White primed grained effect

Style: Moulded panel

Glazing: Faro: clear flat safety glass with

flush beading

Decca: clear flat safety glass with etched lines and flush beading Decima: clear bevelled safety glass

with brushed chrome camings and raised perimeter beading

Other: FD30 Fire doors FSC® Certified



Standard core construction Colour Options Service (not suitable for smooth

finish doors) FD30 Fire door Faro FD30 has clear

flat safety glass with etched lines and raised perimeter beading.

Faro





Code Size (mm) PRIMED GRAINED 1981 686 35 CAPFAR23

1981 762 35 CAPFAR26 1981 838 35 CAPFAR29 1981 762 44 CAPFAR26FD30 🍑 1981 838 44 CAPFAR29FD30 🍑

Decima





Size (mm) Code PRIMED GRAINED 1981 686 35 CCAPDEC23 1981 762 35 CCAPDEC26

1981 838 35 CCAPDEC29

Decca



Size (mm) Code PRIMED GRAINED 1981 686 35 DEC23 1981 762 35 DEC26 1981 838 35 DEC29 **Finish:** White primed

Edwardian: grained effect

Colonist: grained & smooth effect

Style: Moulded panel

Glazing: Edwardian: etched flat safety glass

with clear diamond pattern lines

and flush beading

Other: FD30 Fire doors

FSC® Certified



Edwardian 2 Light Edwardian











Size (mm) PRIMED GRAINED 1981 686 35 EDGLS23 1981 762 35 EDGLS26 1981 838 35 EDGLS29



Smooth

3 panel

Colonist







Size (mm) Code	Size (mm) Code
PRIMED GRAINED 3 PANEL	PRIMED SMOOTH 3 PANEL
1981 381 35 COL13	1981 457 35 SMCOL16
1981 457 35 COL16	1981 533 35 SMCOL19
1981 533 35 COL19	
2040 526 40 COL526	PRIMED SMOOTH

1981 686 44 COLHH23 🌢

1981 762 44 COLHH26 🌢

1981 838 44 COLHH29 🌢

2032 813 44 COLHH28 🌢

2040 726 44 COLHH726 🍑

2040 826 44 COLHH826 🍑

2040 926 44 COLHH926 🍑

1981 610 35 SMCOL20
1981 686 35 SMCOL23
1981 762 35 SMCOL26
1981 838 35 SMCOL29
2032 813 35 SMCOL28
1981 686 44 SMCOLHH23
1981 762 44 SMCOLHH20
1981 838 44 SMCOLHH29
2032 813 44 SMCOLHH28

Colonist Bi-fold





Size (mm) Code			
PRIMED GRAINED			
1981	762	35	COLBF26
1981	914	35	COLBF30

Important:

Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.

108 www.jbkind.com T: 01283 554197 109 Finish: White primed grained effect

Style: Moulded panel

Glazing: Clear flat safety glass with

flush beading

Other: FD30 Fire doors

FSC® Certified

Pairs: rebated meeting stiles, right hand open away

Useful Tip:

For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.

Important:

Classique

6 Light Pairs

Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.

Finish White primed grained and smooth effect

Style: Moulded panel

Glazing: Canterbury 2 Light & Bi-fold

Grained: etched flat safety glass with clear diamond pattern lines and flush beading Smooth: clear flat safety glass with

2 panel

Size (mm)

PRIMED SMOOTH

1981 610 35 SMCAN20

1981 686 35 SMCAN23

1981 762 35 SMCAN26

1981 838 35 SMCAN29

1981 610 44 SMCANHH20 è

1981 686 44 SMCANHH23 🌢

1981 762 44 SMCANHH26 🍑

1981 838 44 SMCANHH29

2032 813 44 SMCANHH28 🍑

2040 926 44 SMCANHH926 🍑

Code

flush beading

Canterbury 2 Light FD30: Clear flat fire

glass with raised beading

Other: FD30 Fire doors FSC® Certified

Canterbury

Size (mm)

Code

PRIMED GRAINED 2 PANEL

1981 457 35 CAN16

1981 533 35 CAN19

2040 526 40 CAN526

1981 610 35 CAN20

1981 686 35 CAN23

1981 711 35 CAN24

1981 762 35 CAN26

1981 838 35 CAN29

2032 813 35 CAN28

2040 626 40 CAN626

2040 726 40 CAN726 2040 826 40 CAN826 1981 610 44 CANHH20 🌢 1981 686 44 CANHH23

1981 762 44 CANHH26 🌢

1981 838 44 CANHH29 🍑

2032 813 44 CANHH28 •

2040 726 44 CANHH726 🍑

2040 826 44 CANHH826 🍑

2040 926 44 CANHH926

T: 01283 554197

PRIMED GRAINED



Grained

Canterbury

2 Light

W 💸

Size (mm)

PRIMED GRAINED

1981 686 35 CANGL23

1981 762 35 CANGL26

1981 838 35 CANGL29

ETCHED GLASS

Code



Canterbury

2 Light FD30

Canterbury






Size (mm) Code PRIMED GRAINED

Canterbury











1981 762 35 SMCANGLC26

1981 838 35 SMCANGLC29

Bi-fold






1981	610	35	CANBF20
1981	762	35	CANBF26

Glazed Bi-fold





Size (mm) PRIMED GRAINED 1981 762 35 CANBFGLT26

111

Classique





	П		
		1	
1-		j:	4
	1	ľ	7

Classique


Size (mm)		Code	
PRIMI	ED GF	RAIN	IED	
1981	610	35	CLABF20	
1981	762	35	CLABF26	





Classique

6 Light











Make a statement with a pocket door system see page 12

www.jbkind.com

Standard core construction Colour Options Service (not suitable for smooth

Solid core construction

finish doors)

110

Size (mm)

PRIMED GRAINED

1981 533 35 CLA19

1981 610 35 CLA20

1981 686 35 CLA23

1981 711 35 CLA24

1981 762 35 CLA26

1981 838 35 CLA29

2032 813 35 CLA28

2040 726 40 CLA726

2040 826 40 CLA826

1981 686 44 CLAHH23 🎍

1981 762 44 CLAHH26 🌢

1981 838 44 CLAHH29 🍑

Code

FD30 Fire door



Door Handle Latch Packs the perfect partner for your JB Kind doors

Enjoy the convenience of a stylish door handle latch pack, supplied with everything that you need to fit your door in one box. Each pack comes with a pair of handles, a smartlatch, a choice of keeps and three quality stainless steel ball bearing hinges.





Smartlatch: Fit in under five minutes

spindle.

Step one: Using a 25mm drill bit, bore out to 75mm in depth.




Step two: Using the same

bit, drill the hole for the

Step three: Then simply insert the latch.



Step four: Fit handles.





Privacy latch packs with revolutionary push button, available in all handle styles. No requirement to purchase or fit a separate bathroom lock.



With a 10 year parts and mechanism guarantee, the premium stainless steel and zinc diecast construction provides that all important peace of mind.

PLEASE NOTE: the hinges provided in our latch packs are not suitable for use with fire doors. Fire door hinges are available separately, call 01283 554197 for details.

Roller Polished and satin chrome finish



Blade Satin chrome finish



Wave Polished chrome finish



Drift Polished chrome and satin nickel finish



Curl Polished chrome and satin nickel finish



Style	Standard latch pack	Privacy latch pack
ROLLER	IROLLP	IROLPP
WAVE	IWAVLP	IWAVPP
CURL	ICURLP	ICURPP

Tube Satin chrome finish



Style	Standard latch pack	Privacy latch pack
BLADE	IBLALP	IBLAPP
DRIFT	IDRILP	IDRIPP
TUBE	ITUBLP	ITUBPP

112 www.jbkind.com T: 01283 554197 113



Constructed with an exceptionally durable top layer of MEDITE®TRICOYA®EXTREME and sealed with a factory applied paint finish, External Extreme doors can withstand the toughest weather conditions.

All External Extreme doors are:

- Weather resistant
- Supplied with a 10 year guarantee
- Suitable for fitting in a day!
- Supplied with a weather bar
- Available as a pre-hung door set
- Perfect for over painting



Please refer to jbkind.com for further details

Flexible purchase options:

Option 1: purchase an individual pre-finished door leaf with weather bar (see pages 116-117)

Ideal for when you're fitting into a new or existing door frame. Prefer a different colour to white? Ask about our Colour Options service.


Option 2: choose an External Extreme Doorset (see pages 118-19)

Supplied pre-hung in a solid Accoya wood frame with all hardware and accessories fitted. Door leaves can be painted with our Colour Options service, if required.

NEW Colour Options paint service

Front door colours are very much a personal choice. External Extreme doors are supplied pre-finished in white but can be easily over painted, should you wish to achieve a specific colour.

Let us take the hassle away. Tell us your preferred RAL colour reference and we will arrange for your door to be spray painted with a quality exterior finish.





Traditionally used for cladding and facias, MEDITE®TRICOYA®EXTREME's hard-wearing and weather resistant properties make it perfect for use within the structure of external doors.



DURABLELonger lasting, perfect for external use.



PERFECT FOR COATING

Improved stability and durability enhances service life of the coating. Damaged coating will not affect the core.



SUSTAINABLY SOURCED FSC® Certified. Wood used from sustainable sources.



ENHANCED STABILITY Swelling and shrinking dramatically reduced.




LOWER MAINTENANCE COSTS Extended periods between exterior coatings maintenance.



RESISTANT TO FUNGAL DECAY Effective barrier to fungal decay.

EXTERNAL EXTREME



Finish: Pre-finished white

Style: Tigris: Grooved ladder style panels

Thames: Grooved cottage

style panels Colonial/2XG: Raised panels

Glazing: Pilkington™ double

glazed units

Tigris/Colonial: opal flat glass Thames/2XG: clear flat glass

Other: Composite core Weather bar included

FSC® Certified



Colour Options Service

Tigris Extreme





Tigris Glazed Extreme





Thames Extreme





Thames Glazed Extreme



Size (mm) PRE-FINISHED 1981 838 44 EXTHA29G

Colonial 4 Panel Extreme



Size (mm) Code PRE-FINISHED 1981 838 44 EX4P29

Colonial 4 Panel Glazed Extreme



Size (mm) Code PRE-FINISHED 1981 838 44 EX4PTL29

2XG Extreme



PRE-FINISHED 1981 762 44 E2XG1P26G 1981 838 44 E2XG1P29G

116 T: 01283 554197 117 www.jbkind.com

EXTREME Pre-hung Doorsets

Our External Extreme Doorsets are designed to withstand the toughest weather conditions with the strength and durability of our MEDITE®TRICOYA®EXTREME faced door range combined with an ACCOYA solid wood high performance door frame.

Extreme Doorsets are supplied factory finished in a white exterior paint as standard. Our Colour Options service can pre-paint individual door leaves (not door frames) any RAL colour. Alternatively, the doorsets are easy to over-paint in a colour of your choice, once in situ.

Each Doorset frame is made to measure, pre-hung with your Extreme door, complete with all hardware and accessories. Ready for easy installation and backed by a 10 year manufacturing defect guarantee.

BENEFITS OF A DOORSET

Save time

Each Doorset is pre-hung and ready to install.

Labour cost saving

Quicker fitting times help reduce onsite costs.

Single sourcing

Ease of purchasing all door related components in one place.

Factory controlled

Each Doorset is assembled in a factory environment to ensure consistency and quality.

Optional doorset accessories:



Chrome letterplate



Chrome door viewer



year

Chrome numerals



Chrome door chain

External Extreme Doorset features:



Solid Accoya wood door frame (supplied factory finished in white)



MEDITE®TRICOYA®EXTREME faced door (supplied factory finished in white, ask about our Colour Options service)



Chrome door handle (supplied as standard)



3-Point locking mechanism



Chrome security cylinder



Stainless steel standard grade-13 hinges



Silver stormguard weather bar



Silver stormguard threshold



118 www.jbkind.com T: 01283 554197

INTERNAL TIMBER ACCESSORIES **USFFUL INFORMATION**

Oak Door Linings, Architraves and Skirtings – Boxed Sets

Constructed with a solid engineered core and faced with oak veneer. Each set is sufficient for most standard door sizes, available both varnished and unvarnished.



Lininas

Size (mm)	Varnished	Unvarnished
30 x 108	ODL108V	ODL108
30 x 133	ODL133V	ODL133

Each pack is sufficient for a single door Contents per box:

1 piece 1050mm - Head 2 pieces 2100mm - Jambs Stops - 12 x 45mm, 2 pieces 2100mm, 1 piece 1050mm



Architraves

Size (mm)	Varnished	Unvarnish
18 x 69	OARC69V	OARC69
Each pack is su	fficient for both side:	s of one door
Contents per bo	X:	

4 pieces 2200mm 2 pieces 1200mm lengths



Skirting

Size (mm)	Varnished	Unvarnished
18 x 144	OSK144V	OSK144
Contents per box	c: 4 pieces 3000mm	lengths

Pair Maker

Oak style T-section pair maker, available for both standard and metric width doors.



Size (mm)	Product Code
UNVARNISHED	
2100mm	OPRMAKER37 (to suit 35mm door)
2100mm	OPRMAKER42 (to suit 40mm door)

Modern Architrave

The perfect complement for your doors. Veneered on MDF and supplied with sufficient lengths to fit both sides of most standard internal door sizes.

Size (mm)	Varnished	Unvarnished		
ARCHITRAVES				
(box quantity for 2 sides single leaf)				
	OCLRA70V	OCLRA70		
Contents per box:				
4 pieces 2200mm - Jambs 70 x 20mm				

2 pieces 1100mm - Heads 70 x 10mm



Sovereign Sets

The ultimate embellishment for enhancing oak or painted internal doors in both unfinished and prefinished oak, veneered on MDF. Two different head sizes are offered to suit both single leaves and pairs.

Size (mm)	Varnished	Unvarnished		
1100	RPSOV011	RPSOV011-0U		
1800	RPSOV022	RPSOV022-0U		
Contents per bo	X:			
sufficient for one side of a door				
2 jambs	1 head			
2 corner blocks	2 plinth block	S		



Clear, water based varnish that

is available in 4 sheen levels.

For a perfect finish...

Applying a quality finish to your internal doors ensures their long term appearance and performance.



We recommend the following finishing products that have been tested on our unfinished oak internal doors with excellent results.

All-in-one natural hard wax oil that dries to a natural, clear matt finish.





Please refer to www.mannsuk.com for more information and to purchase these products directly.

Essential Door Care & Maintenance Advice

The principal enemy of timber doors is excess exposure to moisture or dryness. Having left our custody, we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken to prevent the free passage of moisture either into or out of the wooden door, stresses within timber may be released resulting in movement or distortions such as swelling, shrinking, warping, splitting, twisting or even discolouration. We are unable to accept any liability for any failings where they have arisen due to the free passage of moisture.

Storage

Upon receipt, check your doors carefully for condition and suitability, as claims made later may not be considered. Please store doors laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any joinery work, although first sizing them may be to advantage. We recommend that veneered doors are sealed using Manns Extra Tough Interior Varnish or Manns Door oil.

Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. We have tested Manns Extra Tough Interior Varnish and Manns Door Oil which have produced excellent results. For this reason we strongly recommend the use of one of these two finishes to help protect the guarantee. Either of these two finishes will provide a lasting seal between component parts. Good quality solvent or acrylic finishes may be used, but check they are suitable for use with timber laminates or veneers. Follow the treatment manufacturer's instructions carefully and avoid over applying the treatment, particularly the first coat.

We recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

Natural oils such as Danish oil, tung oil and linseed oil are not suitable for use with any of our products. These solutions are penetrating oils and are not suitable for use with veneered doors. The application of a base coat stain or paint primer alone is not deemed to form a seal. Failures related to treatment will be assessed based on their application and the claims made by their manufacturer.

Installation

Check the door for suitability prior to commencing work. Claims made later may not be considered. When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width

if minimal, but equally with the meeting edge if a greater amount is necessary.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch / locks etc. should be cut to the minimum recommended sizes. Panel door mortises should not be located at rail joints as this may significantly weaken them. On completion remove doors, taking off all ironmongery and treat every cut / untreated surface liberally with a number of coats of an appropriate treatment before finally refitting. Remember to pay particular attention to all edges of your door, particularly any exposed end grain where the propensity for the free passage of moisture is much greater.

Installation - Fire doors

When fitting our FD30 fire doors, please note that there are strict limitations about how much they can be trimmed and these must not be exceeded. Ironmongery used in the installation of fire doors must be strictly in accordance with the door's certification and appropriate for use with a fire door.

Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be thoroughly dry, without condensation, before doors are introduced. Even our pre-finished doors should not be exposed to inappropriate damp site conditions.

External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully exposed to the worst elements of our climate, even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way projecting not less than about 1.5m,

regardless of elevation. Always fit with a suitable weatherboard regardless of frame cill type fitted, to prevent droplets of moisture hanging from the door bottom.

Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

Ouality standards

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality". BS 5278:1976/EN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width, thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.

Safety Glass

To comply with building regulations all our pre-glazed doors meet the requirements of the European standards.

Wood is a natural material and variations in colour and graining should be expected. Note: With door pairs we cannot guarantee an exact veneer match

Colours depicted are representative only and are reproduced as accurately as the printing process

We reserve the right to make alterations or modify specifications without notice. Errors and omissions excepted.



T: 01283 554197 121 120 www.jbkind.com



Fire doors are a serious business, and that's why we invest our time, energy and money to ensure that we have one of the most comprehensive, and accredited, collections of fire doors in the UK.



Certificated Fire Doors

Fire doors certificated by Warringtonfire are identified by Certifire FD30 Fire door. JB Kind's membership of the BWF Fire Door Alliance Scheme supports the promotion of third party certification.

As responsible suppliers of fire resistant doors, we ensure that all of our FD30 doors have been tested in accordance with either the British BS476 pt22 or European EN1634-1:2000 standards.

All of our fire doors have a Fire Test Assessment report which is available upon request and outlines in detail exactly what you can and can't do when fitting any particular door. All fire doors are glazed with fire-rated glass.

FD30 fire door pairs: please note that not all FD30 fire doors offered within this brochure are certificated for use as pairs. Please contact us for more information.

For more information on fire doors, including details on Glazed Fire Doors & Part M (Mobility) visibility requirements, log on to jbkind.com or call 01283 554197.

FD30 fire doors – at a glance

Take a look below to see which fire door options are available by range. Look out for the 🎍 or 🎍 icons adjacent to product codes.

	Solid	FD30 Fire Doors	Glazed	FD30 Fire Doors
	AVAILABLE FROM STOCK	BESPOKE FD30	AVAILABLE FROM STOCK	BESPOKE FD30
Oak Contemporary	all designs	all designs	Emral Oak (p21) Blenheim (p27)	all designs excluding Bela and Sol Glazed
Oak Classic	all designs	Royale designs only	Royale 12-6VM (p33)	Royale designs only
Oak Shaker	all designs	N/A	N/A	N/A
Oak Cottage	all designs excluding Rustic Oak	Thames (p51) Cherwell (p53)	N/A	Cherwell Glazed (p53)
Walnut	all designs	all designs excluding Axis	N/A	all designs excluding Axis Glazed
Laminates	all designs	N/A	N/A	N/A
Painted Finish	all designs	Pintado, Ardosia, Tate, Viridis only	N/A	Pintado, Ardosia, Louvre, Viridis onl
White Classic	all designs	N/A	N/A	N/A
White Contemporary	all designs	all designs excluding Imperial, Eclipse, Ripple, Parelo, Linea Blanco, Savoy	Dominion (p93) Barbican (p94)	all designs excluding Arcadian, Regent, Oriole, Ripple, Parelo, Linea, Blanco, Phoenix
White Shaker	all designs excluding Axis Ripple and Aurora	N/A	Tobago (p100)	N/A
White Moulded	all designs	N/A	Faro (p108) Canterbury 2 Light (p111)	N/A

INDEX - Doors & Accessories

2XG Extreme	External Extreme	117
Adelphi / Bi-fold	White Contemporary	93
Agua / Glazed	Oak Contemporary	31
Alabama Cinza / Glazed Alabama Fumo / Glazed	Laminates	69
Andorra	Laminates White Moulded	107
Antigua / Bi-fold	White Shaker	100-101
Apollo	White Contemporary	94
Arcadian	White Contemporary	93
Architrave Oak	Timber Accessories	120
Arcos / Glazed	Oak Contemporary	31
Arden	Oak Classic	39
Ardosia / Glazed	Painted Finish	75
Argento / Glazed	Painted Finish	75
Aster	White Contemporary	96
Aurora / Glazed	White Shaker	102
Axis Oak / Glazed	Oak Shaker	45
Axis Ripple	White Shaker	99
Axis Walnut / Glazed	Walnut	63
Axis White / Glazed / Bi-folds	White Shaker	99
Barbados	White Shaker	105
Barbican	White Contemporary	94
Bela Polton / Clared	Oak Contemporary White Classic	83
Belton / Glazed Blade	Door Handle Packs	113
Blanco / Glazed	White Contemporary	91
Blenheim	Oak Contemporary	27
Canterbury / Glazed / Bi-folds	White Moulded	111
Caprice	White Moulded White Moulded	107
Catton / Glazed	White Classic	85
Cayman / Bi-fold	White Shaker	105
Ceylon	Oak Contemporary	26
Charnwood	Oak Classic	39
Chartwell	Oak Contemporary	27
Cherwell / Glazed	Oak Cottage	53
Churnet	Oak Classic	37
Classique / Glazed / Pairs / Bi-fold	White Moulded	110
Clementine	Oak Contemporary	27
Colonial 4 Panel Extreme / Glazed	External Extreme	117
Colonist / Bi-fold	White Moulded	109
Colorado / Glazed	Laminates	71
Cottage 5 / Glazed	White Moulded	107
Criterion	White Contemporary	97
Curl	Door Handle Packs	113
Darwen	Oak Classic	43
Dean	Oak Classic	39
Decca	White Moulded	108
Decima	White Moulded	108
Derwent	Oak Classic	37
Diana	Oak Contemporary	29
Dominica	White Shaker	105
Dominion	White Contemporary	93
Doorsets - internal Doorsets - external	Our Services External Extreme	10-11 118-119
Dove / Pairs	Oak Classic	36
Drift	Door Handle Packs	113
Eccentro / Glazed	White Shaker	103
Eclipse	White Contemporary	93
Eden	Oak Classic	43
Edras	Walnut	61
Edwardian / Glazed	White Moulded	109
Eiger	Oak Shaker	49
Elektra	White Contemporary	96
Emral Oak	Oak Contemporary	21
Emral Walnut	Walnut	59
Emral White	White Contemporary	87
Etna / Bi-fold	Oak Shaker	48
Faro	White Moulded	108
Fernor	Walnut	60
Fortune	White Contemporary	96
Franquette	Walnut	60
Fuji / Bi-fold	Oak Shaker	49
Geo / Glazed	White Shaker	103
Gisburn	Oak Classic	39
Grizedale	Oak Classic	39
Hardwick	White Classic	85
Hudson / Glazed	Laminates Oak Classis	71
Humber	Oak Classic	43
Imperial	White Contemporary	93

amaica	White Shaker	101
uno	Oak Contemporary	28
Lara	Walnut	63
Linea / Glazed	White Contemporary	91
Linings Oak	Timber Accessories	120
Louvre	Painted Finish	79
Lucina	Oak Contemporary	29
Lyric	White Contemporary	97
Matterhorn	Oak Shaker	49
Mayette	Walnut	61
Medina	Oak Contemporary	21
Mersey	Oak Classic	43
Minerva	Oak Contemporary	29
Mistral Oak / Glazed / Bi-fold	Oak Contemporary	23
Mistral Walnut / Glazed	Walnut	59
Mistral White / Glazed / Bi-fold	White Contemporary	89
Mocha / Glazed	Painted Finish	77
Montserrat / Bi-fold	White Shaker	105
Nevis	Oak Shaker	47
Novello	White Contemporary	97
Oriole	White Contemporary	93
Osborne	White Classic	83
Ostria / Glazed	Oak Contemporary	25
Pair Maker	Timber Accessories	120
Parelo / Glazed	White Contemporary	91
Parisienne Phoenix	Walnut White Contemporary	63
	White Contemporary	95 74
Pintado Grey / Glazed	Painted Finish Pocket Door Systems	12-15
Pocket Doors & Accessories	White Moulded	107
Quattro / Glazed Regent	White Contemporary	93
Rhodesia Ripple / Glazed	Oak Contemporary White Contemporary	26 95
Roller	Door Handle Packs	113
Royale 11-8V Oak	Oak Classic	33
Royale 12-6VM Oak	Oak Classic	33
Royale 12M Oak	Oak Classic	33
Royale E14-2VM Oak	Oak Classic	35
Royale E14M Oak	Oak Classic	35
Royale E16M Oak	Oak Classic	35
Royale RO3 Oak / Glazed	Oak Classic	41
Royale R11-2M Oak	Oak Classic	41
Royale R11-2V Oak	Oak Classic	41
Royale VP7 Oak / Glazed	Oak Contemporary	19
Royale VT5 Oak / Glazed	Oak Contemporary	19
Rushmore	Oak Shaker	47
Rustic Oak 4 Panel / Glazed	Oak Cottage	55
Rustic Oak DX / Glazed	Oak Cottage	55
Rustic Oak Ledged	Oak Cottage	55
Rustic Oak Ledged - Brace Kit Pack	Oak Cottage	55
Savoy	White Contemporary	95
Severn	Oak Classic	37
Sherwood	Oak Classic	39
Sirocco / Glazed	Oak Contemporary	25
Skirting Oak	Timber Accessories	120
Snowdon / Bi-fold	Oak Shaker	47
Sol / Glazed	Oak Contemporary	30
Spencer	Oak Contemporary	27
Tate	Painted Finish	79
Thames Extreme / Glazed	External Extreme	116-117
Thames Oak / Glazed / Bi-fold	Oak Cottage	51
Tigris Extreme / Glazed	External Extreme	116
Tigris Ivory / Glazed	Laminates	67
Tigris Lava / Glazed	Laminates	67
Tigris Oak	Oak Contemporary	21
Tigris Walnut	Walnut	59
Tigris White / Bi-fold	White Contemporary	87
Tobago / Bi-fold	White Shaker	100 / 101
Trent	Oak Classic	36
Trinidad	White Shaker	101
Tube	Door Handle Packs	113
Tutbury	Oak Cottage	52
Valcor	Walnut	61
Venus	Oak Contemporary	28
Vina	Walnut	61
Viridis / Glazed	Painted Finish	79
Wave	Door Handle Packs	113
Wenge / Glazed	Painted Finish	77
Yoxall	Oak Cottage	52

122 www.jbkind.com T: 01283 554197 123



Contact your local stockist

JB Kind Limited
Portal Place, Astron Business Park, Hearthcote Road,
Swadlincote, Derbyshire DE11 9DW
T: 01283 554197 F: 01283 554182
E: info@jbkind.com

